PT-E110VP



aEE YA

/w wA^Q

brother

touch E110

X

ARA EXTER AND AND LEAT

30.

周

MARK OF A SMART

PROFESSIONAL

Industrial Label Printer

A purpose built label printer to add to your toolbox. Create long lasting, durable and easy to peel labels for components in electrical environments.

- Cable, Faceplate and Sequential Numbering shortcuts for quick function access
- 200 Symbols including electrical, security, audio/visual and safety symbols
- Includes tape cassette, AC adapter and carry case
- Heavy duty labels resistant to fade, abrasion and extreme temperatures





The PT-E110VP and its durable tape supplies help ensure clear identification for cabling, panels and installations.





AIC C1-3B

OP

BNM.

G

1

B

B

Menu

0

ESC

ARA [FIEL COL TOOL FOR

QWE


AS 0

ZXC




P-touch E110VP Label Printer

Create long lasting labels in various colour combinations and widths with this industrial label printer. With dedicated functions to make common labelling tasks quick and easy, and with everything supplied in a hard carry case, the PT-E110VP is an invaluable tool for electricians and other professional trades.



P-touch laminated labels – designed to last

Brother P-touch laminated TZe tapes are available in many different colours and sizes. The thermal transfer ink is sandwiched between two protective layers of PET (polyester film), protecting the text against the effects of liquids, abrasion, temperature, chemicals and sunlight. As the labels have been tested to the extreme, you can be confident of a professional quality label that has been designed to last.



PT-E110VP Features / Specifications

Hardware

Housing dimensions (mm)	111(w) x 58(d) x 204(h)	Built-in fonts	1 200 - militada instantina alastri al associta
Housing weight	400g	Built-in symbols	200 symbols including electrical, security,
Tape size	TZe tape: 6, 9, 12mm	Ohannahanainaa	audio/video and safety symbols
Print resolution	180 dpi for crisp, legible text	Character sizes	3 sizes
Max. label length	300mm	Character widths	3 widths (extended, medium, condensed)
Max. print height	9mm for easy-to-read labels	Font styles	10
Max. print speed	20mm / sec	Frames	1
Cutter type	Built-in manual label cutter	Underline	Yes
Keyboard type	PC layout QWERTY keyboard	Max. number of lines	2
	with dedicated numeric keypad	Horizontal alignment	Automatic length labels: left aligned
Number of keys	60		Pre-set length labels: centre aligned
LCD display	16 character graphic LCD with real	Pre-set format	
	preview feature	(auto format)	None
LCD size	58 mm x 23 mm	Tape length setting	Yes (30-300 mm)
Print preview	Yes	Tape margin settings	Narrow, half, full, chain print
Text buffer	Max 80 chrs	Tab function	Yes
Label memory	720 chrs (9 files x 80 chrs)	Labelling functions	General, Cable Wrap, Cable Flag,
Power	Requires 6 x AAA batteries (not supplied)		Faceplate and Sequential Numbering
	AC adapter (included)	Numbering	Yes (1-50)
		Mirror Printing	No
Items Included		Vertical Printing	Yes
		Copy (repeat) printing	Yes (1-50)
Items included	PT-E110 label printer	Print preview	Yes (graphic preview)
	AC adapter (AD-24ES)	Auto power off	Yes (approx. 5 min)
	9mm black on white Flexible-ID	Unit change	Yes (inch/mm)
	tape cassette (8m)	Language change	21 languages (English, German, French,
	Carry case		Spanish, Portuguese, Portuguese-Bra, Italian,
	User guide		Dutch, Danish, Norwegian, Swedish, Finish,
Supplies			Hungarian, Czech, Polish, Romanian, Slovene, Slovak, Croatian, Turkish, Malay)
TZe Tape cassettes	6, 9, 12mm		

Built-in software

Label images shown are for illustrative purposes only and some aspects may not be reproducable on this model. Product specifications may be subject to change.



Brother International South Africa

96 Sovereign Drive, Route 21 Corporate Park, Irene Tel: **0861 BROTHER** Fax: +27 (0) 12 - 345 3886

www.brother.co.za http://solutions.brother.com



(f) (iii)

