


Reliable Prints in High Volume

Brilliant Colours, Compact Size









DCP-T230

Print | Scan | Copy Value for money Simple user interface Windows





DCP-T430W

Print | Scan | Copy Value for money Simple user interface Wireless & Mobile print







DCP-T530DW

Print | Scan | Copy Value for money User friendly LCD panel Duplex print Wireless & Mobile print

INBOX INKS:

DCP-T230, DCP-T430W, DCP-T530DW: x1 BK





Compact size, tidy space

Keep your space neat and tidy with out latest ink tank series. **Reducing 24%**^ of the space needed, plus our front **loading paper tray**, you can now place our printer anywhere.

No wires, just family fun!

Experience hassle-free printing! Our wireless printer⁺ lets you print straight from your smartphone, so you can share family memories and important documents without a computer.

Practical functions for your family

We prioritise your printing experience! Our printer features a plug-and-play design for quick setup, easy-to-use buttons, and a clear display panel* for effortless navigation. Plus, our spill-free refill technology means you can refill ink without the hassle—printing has never been this simple!

































DCP-T730DW

Print | Scan | Copy
Value for money
User friendly LCD panel
Duplex print
Automatic document feeder

DCP-T830DW

Print | Scan | Copy Cost efficiency User friendly LCD panel Duplex print Automatic document feeder 80 sheets multi-purpose tray

MFC-T930DW

Print | Scan | Copy | Fax
Cost efficiency
4.5cm colour LCD
Duplex print
Automatic document feeder
80 sheets multi-purpose tray

INBOX INKS:

DCP-T730DW, DCP-T830DW, MFC-T930DW: x2 BK





Pro prints in different sizes

Ensure your documents look perfect from start to finish! Our printer provides **professional consistency** with **high-quality** prints in sizes like A4, A5+, A6+, LTR, and photo. Whether it's a presentation or a client photo, count on us for outstanding results that showcase your business.

Engineered for work success


Our printer is engineered for business success, offering features like convenient **shortcut keys**⁺ for one-tap actions that boost your productivity.

The transparent ink tank makes it **easy to check** ink levels at a glance, while **hands-free refilling** keeps you focused on your work.

With **ADF scanning**⁺ **for up to 20 sheets** at a time, you can handle documents quickly and efficiently, empowering your business to thrive!

Print on the go workflow

Staying connected is key. Our printer's mobile and email printing capabilities empower you to bring your ideas to life, no matter where you are. Imagine effortlessly printing important documents directly from your smartphone or sending files straight from your email*!



Specifications

| | | [3.50] | 高级 | | |
|---|--|--|---|--|--|
| | DOD TOOK () A A A | DOD T 100W | DOD TEACHIN | DOD TECODAL | |
| Functions | DCP-T230 (windows only) | DCP-T430W | DCP-T530DW an, Copy | DCP-T536DW | |
| GENERAL | | 1 mit, 30 | ап, оору | | |
| Memory | 64MB | | 128MB | | |
| Display | LE | ED . | 1-Line LCD | (16 characters) | |
| Machine Colour | Black | Black | Black | White | |
| Print Speed | FUNCTION | Up to 16.0 ipm /maps | and Q Q ipm (colour) | | |
| (ESAT) ® Print Speed | Up to 16.0 ipm (mono) and 9.0 ipm (colour) | | | | |
| (Eco Mode) First Print Out | Up to 27.0 ppm (mono) and 11.0 ppm (colour) | | | | |
| Time® (FPOT) | Up to 6.2 sec (mono) and 9.6 sec (colour) | | | | |
| Print Resolution 2-Sided Print | Up to 1,200 x 6,000 dpi (Windows) | | | | |
| Borderless Printing | Yes | | | | |
| COLOUR COPY | FUNCTION | | | | |
| Maximum Copy Size | | Up to | A4/LTR | | |
| Copy Speed (ESAT/sESAT) | | Up to 11.0 ipm (mono) | and 3.5 ipm (colour) ⁽ⁱⁱⁱ⁾ | | |
| Copy Speed (FCOT) (FCOT) | | Up to 13.0 sec (mono) | and 28.5 sec (colour) | | |
| Сору | | 1,200 x 1 | | | |
| Resolution Enlargement | | | | | |
| / Reduction Ratio | 25% - 400% in 1% increm | nents (via Remote Copy) | 25% - 400 | % in 1% increments | |
| N in 1 Copy | 2-in-1 / 2-in-1 (ID) / 4-in | -1 (via Remote Copy) | 2-in-1 / | 2-in-1 (ID) / 4-in-1 | |
| COLOUR SCAN Maximum | FUNCTION | Un de | A4//TD | | |
| Scan Size Scan | | Optical: Up to 1 | A4/LTR 200 x 2 400 dpi | | |
| Resolution | | Interpolated: Up to 19,200 x 19,200 | | | |
| Scan Speed (@ 100 dpi) | | From scanner FB: 3.35 s | ec / 4.38 sec (mono/colour) | | |
| "Scan To" Feature | | Image, OCF | R, Email, File | | |
| CONNECTIVITY | / / NETWORKING | | | | |
| | | | <u> </u> | | |
| Interface | Hi-Speed USB 2.0 | High Speed USB 2.0,Wireless Direct ^(viii) Wireless LAN (2.4GHz) | High Speed USB 2.0,Wi-Fi | Direct, Wireless LAN (2.4 GHz) | |
| | | Wireless LAN (2.4GHz) | High Speed USB 2.0,Wi-Fi roid/iOS/Harmony OS) , AirPrint (for iOS), Mopria, I | | |
| Interface Mobile Solutions Desktop | Hi-Speed USB 2.0 | Wireless LAN (2.4GHz) | | | |
| Interface Mobile Solutions | Hi-Speed USB 2.0 | Wireless LAN (2.4GHz) | I | | |
| Interface Mobile Solutions Desktop Solutions Email Print PAPER HANDL | Hi-Speed USB 2.0 NA iPrint&Scan Desktop App (for Windows OS only) NA | Wireless LAN (2.4GHz) | roid/iOS/Harmony OS) , AirPrint (for iOS), Mopria, I | | |
| Interface Mobile Solutions Desktop Solutions Email Print PAPER HANDL Paper Input (Standard Tray) | Hi-Speed USB 2.0 NA iPrint&Scan Desktop App (for Windows OS only) NA | - Wireless LAN (2.4GHz) Brother Mobile Connect App (for And | roid/iOS/Harmony OS) , AirPrint (for iOS), Mopria, I | | |
| Interface Mobile Solutions Desktop Solutions Email Print PAPER HANDL Paper Input (Standard Tray) Paper Input (Manual | Hi-Speed USB 2.0 NA iPrint&Scan Desktop App (for Windows OS only) NA | Brother Mobile Connect App (for And | roid/iOS/Harmony OS) , AirPrint (for iOS), Mopria, I iPrint&Scan Desktop App Yes | | |
| Interface Mobile Solutions Desktop Solutions Email Print PAPER HANDL Paper Input (Standard Tray) Paper Input | Hi-Speed USB 2.0 NA iPrint&Scan Desktop App (for Windows OS only) NA | Brother Mobile Connect App (for And Up to 150-sh | roid/iOS/Harmony OS) , AirPrint (for iOS), Mopria, I iPrint&Scan Desktop App Yes eets (80 g/m²) | | |
| Interface Mobile Solutions Desktop Solutions Email Print PAPER HANDL Paper Input (Standard Tray) Paper Input (Manual Feed Slot) Paper Output Automatic Document | Hi-Speed USB 2.0 NA iPrint&Scan Desktop App (for Windows OS only) NA | Wireless LAN (2.4GHz) Brother Mobile Connect App (for And Up to 150-sh | roid/iOS/Harmony OS) , AirPrint (for iOS), Mopria, I iPrint&Scan Desktop App Yes eets (80 g/m²) | | |
| Interface Mobile Solutions Desktop Solutions Email Print PAPER HANDL Paper Input (Standard Tray) Paper Input (Manual Feed Slot) Paper Output Automatic Document Feeder Paper | Hi-Speed USB 2.0 NA iPrint&Scan Desktop App (for Windows OS only) NA ING | Wireless LAN (2.4GHz) Brother Mobile Connect App (for And Up to 150-sh Up to 50-sho | roid/iOS/Harmony OS) , AirPrint (for iOS), Mopria, I iPrint&Scan Desktop App Yes eets (80 g/m²) heet eets (up to A4) | Brother Print Service Plugin (for Android) | |
| Interface Mobile Solutions Desktop Solutions Email Print PAPER HANDL Paper Input (Standard Tray) Paper Goutput Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Standard Tray) | Hi-Speed USB 2.0 NA iPrint&Scan Desktop App (for Windows OS only) NA ING A4, LTR, LGL, Folio, EXE, A5, A6, Ph | Wireless LAN (2.4GHz) Brother Mobile Connect App (for And Up to 150-sh Up to 50-she Noto(102x152mm), Indexcard(127x203mm), Photo-Mexico Legal, India Legal (*HK and | roid/iOS/Harmony OS) , AirPrint (for iOS), Mopria, I iPrint&Scan Desktop App Yes eets (80 g/m²) heet sets (up to A4) IA 2L(127x178mm), C5 Envelope, Com-10, DL Envelo | Brother Print Service Plugin (for Android) Drope, Monarch, Photo-L(89x127mm), | |
| Interface Mobile Solutions Desktop Solutions Email Print PAPER HANDL Paper Input (Standard Tray) Paper Input (Manual Feed Slot) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) | Hi-Speed USB 2.0 NA iPrint&Scan Desktop App (for Windows OS only) NA ING A4, LTR, LGL, Folio, EXE, A5, A6, Ph | Wireless LAN (2.4GHz) Brother Mobile Connect App (for And Up to 150-sh 1 S Up to 50-sh Noto(102x152mm), Indexcard(127x203mm), Photo- Mexico Legal, India Legal (*HK and Nexico Legal, India Legal (*HK and Mexico Legal, India Legal (*HK and Mexico Legal, India Legal (*HK and Mexico Legal, India Legal (*HK and | roid/iOS/Harmony OS) , AirPrint (for iOS), Mopria, I iPrint&Scan Desktop App Yes eets (80 g/m²) heet sets (up to A4) IA 2L(127x178mm), C5 Envelope, Com-10, DL Envelo | Brother Print Service Plugin (for Android) Drope, Monarch, Photo-L(89x127mm), | |
| Interface Mobile Solutions Desktop Solutions Email Print PAPER HANDL Paper Input (Standard Tray) Paper loutput Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Manual Feed Slot) Media Type (Standard Tray) Media Type (Manual Feed Slot) | Hi-Speed USB 2.0 NA iPrint&Scan Desktop App (for Windows OS only) NA NG A4, LTR, LGL, Folio, EXE, A5, A6, Ph A4, LTR, LGL, Folio, EXE, A5, A6, Ph | Wireless LAN (2.4GHz) Brother Mobile Connect App (for And Up to 150-sh 1 S Up to 50-she Nexico Legal, India Legal ("HK and Plain, Inkjet, Glossy (cast/resin), R | roid/iOS/Harmony OS) , AirPrint (for iOS), Mopria, I iPrint&Scan Desktop App Yes eets (80 g/m²) heet ets (up to A4) IA 2L(127x178mm), C5 Envelope, Com-10, DL Envelor TWN support B5(JIS)/B6(JIS) too.) | Brother Print Service Plugin (for Android) Drope, Monarch, Photo-L(89x127mm), | |
| Interface Mobile Solutions Desktop Solutions Email Print PAPER HANDL Paper Input (Standard Tray) Paper Input (Manual Feed Slot) Paper Auding Sizes (Standard Tray) Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Standard Tray) Media Type (Standard Tray) Media Type (Manual Feed Slot) Media Type (Manual Feed Slot) SUPPORTED O | Hi-Speed USB 2.0 NA iPrint&Scan Desktop App (for Windows OS only) NA NG A4, LTR, LGL, Folio, EXE, A5, A6, Ph A4, LTR, LGL, Folio, EXE, A5, A6, Ph S AND SOFTWARE | Wireless LAN (2.4GHz) Brother Mobile Connect App (for And Up to 150-sh 1 S Up to 50-she Noto(102x152mm), Indexcard(127x203mm), Photo- Mexico Legal, India Legal ("HK and Noto(102x152mm), Indexcard(127x203mm), Photo- Mexico Legal, India Legal ("HK and Plain, Inkjet, Glossy (cast/resin), R Plain, Inkjet, Glossy (cast/resin), R | roid/iOS/Harmony OS) , AirPrint (for iOS), Mopria, I iPrint&Scan Desktop App Yes eets (80 g/m²) heet sets (up to A4) IA 2L(127x178mm), C5 Envelope, Com-10, DL Envel ITWN support B5(JIS)/B6(JIS) too.) 2L(127x178mm), C5 Envelope, Com-10, DL Envel ITWN support B5(JIS)/B6(JIS) too.) ecycled [Media weight 64-220g/m²] ecycled [Media weight 64-300g/m²] | Brother Print Service Plugin (for Android) ope, Monarch, Photo-L(89x127mm), ope, Monarch, Photo-L(89x127mm), | |
| Interface Mobile Solutions Desktop Solutions Email Print PAPER HANDL Paper Input (Standard Tray) Paper loutput Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Manual Feed Slot) Media Type (Standard Tray) Media Type (Manual Feed Slot) | Hi-Speed USB 2.0 NA iPrint&Scan Desktop App (for Windows OS only) NA NG A4, LTR, LGL, Folio, EXE, A5, A6, Ph A4, LTR, LGL, Folio, EXE, A5, A6, Ph | Wireless LAN (2.4GHz) Brother Mobile Connect App (for And Up to 150-sh 1 S Up to 50-she Nexico Legal, India Legal ("HK and Plain, Inkjet, Glossy (cast/resin), R | roid/iOS/Harmony OS) , AirPrint (for iOS), Mopria, I iPrint&Scan Desktop App Yes eets (80 g/m²) heet vets (up to A4) IA 2L(127x178mm), C5 Envelope, Com-10, DL Envel iTWN support B5(JIS)/B6(JIS) too.) 2L(127x178mm), C5 Envelope, Com-10, DL Envel iTWN support B5(JIS)/B6(JIS) too.) ecycled [Media weight 64-220g/m²] ecycled [Media weight 64-300g/m²] Windows: 10 / 11 / S macOSi Lini | Brother Print Service Plugin (for Android) Drope, Monarch, Photo-L(89x127mm), | |
| Interface Mobile Solutions Desktop Solutions Email Print PAPER HANDL Paper Input (Standard Tray) Paper Input (Manual Feed Slot) Paper Qutput Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Manual Feed Slot) Media Type (Manual Feed Slot) Media Type (Manual Feed Slot) Media Type (Manual Feed Slot) Supported O | Hi-Speed USB 2.0 NA iPrint&Scan Desktop App (for Windows OS only) NA NG A4, LTR, LGL, Folio, EXE, A5, A6, Ph A4, LTR, LGL, Folio, EXE, A5, A6, Ph S AND SOFTWARE Windows: 10 / 11 Linux OS | Wireless LAN (2.4GHz) Brother Mobile Connect App (for And Up to 150-sh Up to 50-she Oto(102x152mm), Indexcard(127x203mm), Photo- Mexico Legal, India Legal (*HK and Plain, Inkjet, Glossy (cast/resin), R Plain, Inkjet, Glossy (cast/resin), R Windows: 10 / 11 macOS™ v12/13/14 Linux OS | roid/iOS/Harmony OS) , AirPrint (for iOS), Mopria, I iPrint&Scan Desktop App Yes eets (80 g/m²) heet vets (up to A4) IA 2L(127x178mm), C5 Envelope, Com-10, DL Envel iTWN support B5(JIS)/B6(JIS) too.) 2L(127x178mm), C5 Envelope, Com-10, DL Envel iTWN support B5(JIS)/B6(JIS) too.) ecycled [Media weight 64-220g/m²] ecycled [Media weight 64-300g/m²] Windows: 10 / 11 / S macOSi Lini | Brother Print Service Plugin (for Android) Dope, Monarch, Photo-L(89x127mm), Ope, Monarch, Photo-L(89x127mm), erver 2016 / 2019 / 2022 VI 12/13/14 UX OS | |
| Interface Mobile Solutions Desktop Solutions Email Print PAPER HANDL Paper Input (Standard Tray) Paper Input (Manual Feed Slot) Paper Qutput Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Manual Feed Slot) Media Type (Manual Feed Slot) Media Type (Manual Feed Slot) Supported O Management | Hi-Speed USB 2.0 NA iPrint&Scan Desktop App (for Windows OS only) NA ING A4, LTR, LGL, Folio, EXE, A5, A6, Ph A4, LTR, LGL, Folio, EXE, A5, A6, Ph S AND SOFTWARE Windows: 10 / 11 Linux OS Chrome OS | Brother Mobile Connect App (for And Up to 150-sh Up to 50-she Up to 50-she Up to 50-she Nexico Legal, India Legal ("HK and Plain, Inkjet, Glossy (cast/resin), R Plain, Inkjet, Glossy (cast/resin), R Windows: 10 / 11 macOS ^{IN} v12/13/14 Linux OS Chrome OS | roid/iOS/Harmony OS) , AirPrint (for iOS), Mopria, I iPrint&Scan Desktop App Yes eets (80 g/m²) heet bets (up to A4) IA 2L(127x178mm), C5 Envelope, Com-10, DL Envel ITWN support B5(JIS)/B6(JIS) too.) 2L(127x178mm), C5 Envelope, Com-10, DL Envel ITWN support B5(JIS)/B6(JIS) too.) ecycled [Media weight 64-220g/m²] ecycled [Media weight 64-300g/m²] Windows: 10 / 11 / S macOS; Lin Chrc BRAdmin Light [©] , EWS | Brother Print Service Plugin (for Android) Dope, Monarch, Photo-L(89x127mm), Ope, Monarch, Photo-L(89x127mm), erver 2016 / 2019 / 2022 VI 12/13/14 UX OS | |
| Interface Mobile Solutions Desktop Solutions Email Print PAPER HANDL Paper Input (Standard Tray) Paper Input (Manual Feed Slot) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Manual Feed Slot) Media Type (Manual Feed Slot) Media Type (Manual Feed Slot) Supported Operating Systems ⁽ⁱⁱⁱ⁾ Supported Operating Systems ⁽ⁱⁱⁱ⁾ Management Tools | Hi-Speed USB 2.0 NA iPrint&Scan Desktop App (for Windows OS only) NA ING A4, LTR, LGL, Folio, EXE, A5, A6, Ph A4, LTR, LGL, Folio, EXE, A5, A6, Ph S AND SOFTWARE Windows: 10 / 11 Linux OS Chrome OS | Wireless LAN (2.4GHz) Brother Mobile Connect App (for And Up to 150-sh Up to 50-she Oto(102x152mm), Indexcard(127x203mm), Photo- Mexico Legal, India Legal (*HK and Plain, Inkjet, Glossy (cast/resin), R Plain, Inkjet, Glossy (cast/resin), R Windows: 10 / 11 macOS™ v12/13/14 Linux OS | roid/iOS/Harmony OS) , AirPrint (for iOS), Mopria, I iPrint&Scan Desktop App Yes eets (80 g/m²) heet rets (up to A4) IA 2L(127x178mm), C5 Envelope, Com-10, DL Envel TWN support B5(JIS/B6(JIS) too.) 2L(127x178mm), C5 Envelope, Com-10, DL Envel TWN support B5(JIS/B6(JIS) too.) ecycled [Media weight 64-220g/m²] ecycled [Media weight 64-300g/m²] Windows: 10 / 11 / S macOSi Lin Chrc BRAdmin Light [®] , EWS | Brother Print Service Plugin (for Android) Dope, Monarch, Photo-L(89x127mm), Ope, Monarch, Photo-L(89x127mm), erver 2016 / 2019 / 2022 VI 12/13/14 UX OS | |
| Interface Mobile Solutions Desktop Solutions Email Print PAPER HANDL Paper Input (Standard Tray) Paper Input (Manual Feed Slot) Paper Qutput Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Manual Feed Slot) Media Type (Manual Feed Slot) Media Type (Manual Feed Slot) Supported Operating Systems ^(m) Management Tools SUPPLIES Ink Bottle (Manual I | Hi-Speed USB 2.0 NA iPrint&Scan Desktop App (for Windows OS only) NA NG A4, LTR, LGL, Folio, EXE, A5, A6, Ph A4, LTR, LGL, Folio, EXE, A5, A6, Ph A4, LTR, LGL, Folio, EXE, A5, A6, Ph SAND SOFTWARE Windows: 10 / 11 Linux OS Chrome OS EWS | Wireless LAN (2.4GHz) Brother Mobile Connect App (for And Up to 150-sh 1 S Up to 50-sh Plain, Indexcard(127x203mm), Photo- Mexico Legal, India Legal (*HK and Plain, Inkjet, Glossy (cast/resin), R Plain, Inkjet, Glossy (cast/resin), R Windows: 10 / 11 macOS™ v12/13/14 Linux OS Chrome OS | roid/iOS/Harmony OS) , AirPrint (for iOS), Mopria, I iPrint&Scan Desktop App Yes eets (80 g/m²) heet rets (up to A4) IA 2L(127x178mm), C5 Envelope, Com-10, DL Envel TWN support B5(JIS/B6(JIS) too.) 2L(127x178mm), C5 Envelope, Com-10, DL Envel TWN support B5(JIS/B6(JIS) too.) ecycled [Media weight 64-220g/m²] ecycled [Media weight 64-300g/m²] Windows: 10 / 11 / S macOSi Lin Chrc BRAdmin Light [®] , EWS | Brother Print Service Plugin (for Android) Dope, Monarch, Photo-L(89x127mm), Ope, Monarch, Photo-L(89x127mm), erver 2016 / 2019 / 2022 VI 12/13/14 UX OS | |
| Interface Mobile Solutions Desktop Solutions Email Print PAPER HANDL Paper Input (Standard Tray) Paper Input (Manual Feed Slot) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Standard Tray) Media Type (Standard Tray) Media Type (Manual Feed Slot) Supported Operating Systems (Manual Feed Slot) Supported Operating Systems (Manual Feed Slot) Management Tools Supplies Ink Bottle (Manual Feed Slot) | Hi-Speed USB 2.0 NA iPrint&Scan Desktop App (for Windows OS only) NA NG A4, LTR, LGL, Folio, EXE, A5, A6, Ph A4, LTR, LGL, Folio, EXE, A5, A6, Ph A4, LTR, LGL, Folio, EXE, A5, A6, Ph S AND SOFTWARE Windows: 10 / 11 Linux OS Chrome OS EWS | Wireless LAN (2.4GHz) Brother Mobile Connect App (for And Up to 150-sh 1 S Up to 50-sh toto(102x152mm), Indexcard(127x203mm), Photo- Mexico Legal, India Legal (*HK and noto(102x152mm), Indexcard(127x203mm), Photo- Mexico Legal, India Legal (*HK and Plain, Inkjet, Glossy (cast/resin), R Plain, Inkjet, Glossy (cast/resin), R Windows: 10 / 11 macOS [®] v12/13/14 Linux OS Chrome OS BTD100 BK: Approximate Yi BTD100 C/M/Y: Approximate Yi | roid/iOS/Harmony OS) , AirPrint (for iOS), Mopria, I iPrint&Scan Desktop App Yes eets (80 g/m²) heet lets (up to A4) IA 2L(127x178mm), C5 Envelope, Com-10, DL Envelor ITWN support B5(JIS)/B6(JIS) too.) 2L(127x178mm), C5 Envelope, Com-10, DL Envelor ITWN support B5(JIS)/B6(JIS) too.) ecycled [Media weight 64-220g/m²] ecycled [Media weight 64-220g/m²] Windows: 10 / 11 / S macOSi Lin Chro BRAdmin Light (4), EWS | Brother Print Service Plugin (for Android) Dope, Monarch, Photo-L(89x127mm), Ope, Monarch, Photo-L(89x127m | |
| Interface Mobile Solutions Desktop Solutions Email Print PAPER HANDL Paper Input (Standard Tray) Paper Input (Manual Feed Slot) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Manual Feed Slot) Media Type (Standard Tray) Media Type (Manual Feed Slot) SUPPORTED O Supported Operating Systems ⁽⁽⁶⁾ Management Tools SUPPLIES Ink Bottle ((6) Inbox Inks DIMENSIONS [Without Carton | Hi-Speed USB 2.0 NA iPrint&Scan Desktop App (for Windows OS only) NA NG A4, LTR, LGL, Folio, EXE, A5, A6, Ph A4, LTR, LGL, Folio, EXE, A5, A6, Ph A4, LTR, LGL, Folio, EXE, A5, A6, Ph SAND SOFTWARE Windows: 10 / 11 Linux OS Chrome OS EWS | Wireless LAN (2.4GHz) Brother Mobile Connect App (for And Up to 150-sh Up to 50-she Up to 50-she Up to 50-she Nexico Legal, India Legal (*HK and Plain, Inkjet, Glossy (cast/resin), R Plain, Inkjet, Glossy (cast/resin), R Plain, Inkjet, Glossy (cast/resin), R Windows: 10 / 11 macOS™ v12/13/14 Linux OS Chrome OS BTD100 BK: Approximate Yi BTD100 C/M/Y: Approximate in x1 each BTD | roid/iOS/Harmony OS) , AirPrint (for iOS), Mopria, I iPrint&Scan Desktop App Yes eets (80 g/m²) heet eets (up to A4) IA 2L(127x178mm), C5 Envelope, Com-10, DL Envel iTWN support B5(JIS)/B6(JIS) too.) 2L(127x178mm), C5 Envelope, Com-10, DL Envel iTWN support B5(JIS)/B6(JIS) too.) ecycled [Media weight 64-220g/m²] ecycled [Media weight 64-300g/m²] Windows: 10 / 11 / S macOSi Li Chro BRAdmin Light (EWS) sld 7,500 A4 pages field 5,000 A4 pages 100BK/C/M/Y | Brother Print Service Plugin (for Android) Dope, Monarch, Photo-L(89x127mm), Ope, Monarch, Photo-L(89x127mm), erver 2016 / 2019 / 2022 VI 12/13/14 UX OS | |
| Interface Mobile Solutions Desktop Solutions Email Print PAPER HANDL Paper Input (Standard Tray) Paper Input (Manual Feed Slot) Paper Wattomatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Standard Tray) Media Type (Standard Tray) Media Type (Manual Feed Slot) SUPPORTED O SUPPORTED O Supported Operating Systems (Signadard Tray) Management Tools SUPPLIES Ink Bottle (Manual Feed Slot) Inbox Inks DIMENSIONS [Without Carton OTHERS | Hi-Speed USB 2.0 NA iPrint&Scan Desktop App (for Windows OS only) NA ING A4, LTR, LGL, Folio, EXE, A5, A6, Ph A4, LTR, LGL, Folio, EXE, A5, A6, Ph A4, LTR, LGL, Folio, EXE, A5, A6, Ph S AND SOFTWARE Windows: 10 / 11 Linux OS Chrome OS EWS WIDTH X DEPTH X HEIGHT (WEIGHT)] 390mm x 343m | Brother Mobile Connect App (for And Up to 150-sh Up to 50-sh 1 S Up to 50-sh Plain, Indexcard(127x203mm), Photo- Mexico Legal, India Legal (*HK and Plain, Inkjet, Glossy (cast/resin), R Plain, Inkjet, Glossy (cast/resin), R Plain, Inkjet, Glossy (cast/resin), R Windows: 10 / 11 macOS™ v12/13/14 Linux OS Chrome OS BTD100 BK: Approximate Yi BTD100 C/M/Y: Approximate Yi BTD100 SK: Approximate | roid/iOS/Harmony OS) , AirPrint (for iOS), Mopria, I iPrint&Scan Desktop App Yes eets (80 g/m²) heet rets (up to A4) IA 2L(127x178mm), C5 Envelope, Com-10, DL Envel TWN support B5(JIS/B6(JIS) too.) 2L(127x178mm), C5 Envelope, Com-10, DL Envel TWN support B5(JIS/B6(JIS) too.) ecycled [Media weight 64-220g/m²] ecycled [Media weight 64-300g/m²] Windows: 10 / 11 / S macOSi Lin Chrc BRAdmin Light™, EWS eld 7,500 A4 pages field 5,000 A4 pages 100BK/C/M/Y | Brother Print Service Plugin (for Android) Dipe, Monarch, Photo-L(89x127mm), Ope, Monarch, Photo-L(89x127mm), erver 2016 / 2019 / 2022 V 1/21/31/4 UX OS Dime OS | |
| Interface Mobile Solutions Desktop Solutions Email Print PAPER HANDL Paper Input (Standard Tray) Paper Input (Manual Feed Slot) Paper Output Automatic Document Freeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Standard Tray) Media Type (Standard Tray) Media Type (Standard Tray) Media Type (Manual Feed Slot) SUPPORTED O Supported Operating Systems (Supported Operating Suppelles) In Bottle (Suppelles) In Bottle (Suppelles) In Bottle (Suppelles) In Bottle (Suppelles) Without Carton | Hi-Speed USB 2.0 NA iPrint&Scan Desktop App (for Windows OS only) NA ING A4, LTR, LGL, Folio, EXE, A5, A6, Ph A4, LTR, LGL, Folio, EXE, A5, A6, Ph A4, LTR, LGL, Folio, EXE, A5, A6, Ph S AND SOFTWARE Windows: 10 / 11 Linux OS Chrome OS EWS WIDTH X DEPTH X HEIGHT (WEIGHT)] 390mm x 343m | Wireless LAN (2.4GHz) Brother Mobile Connect App (for And Up to 150-sh Up to 50-she Up to 50-she Oto(102x152mm), Indexcard(127x203mm), Photo- Mexico Legal, India Legal (*HK and Plain, Inkjet, Glossy (cast/resin), R Plain, Inkjet, Glossy (cast/resin), R Plain, Inkjet, Glossy (cast/resin), R Windows: 10 / 11 macOS™ v12/13/14 Linux OS Chrome OS BTD100 BK: Approximate Yi BTD100 C/M/Y: Approximate in x1 each BTD Im x 148.5mm (g) | roid/iOS/Harmony OS) , AirPrint (for iOS), Mopria, I iPrint&Scan Desktop App Yes eets (80 g/m²) heet eets (up to A4) IA 2L(127x178mm), C5 Envelope, Com-10, DL Envel iTWN support B5(JIS)/B6(JIS) too.) 2L(127x178mm), C5 Envelope, Com-10, DL Envel iTWN support B5(JIS)/B6(JIS) too.) ecycled [Media weight 64-220g/m²] ecycled [Media weight 64-300g/m²] Windows: 10 / 11 / S macOSi Li Chro BRAdmin Light (EWS) sld 7,500 A4 pages field 5,000 A4 pages 100BK/C/M/Y | Brother Print Service Plugin (for Android) Dipe, Monarch, Photo-L(89x127mm), Ope, Monarch, Photo-L(89x127mm), erver 2016 / 2019 / 2022 V 1/21/31/4 UX OS Dime OS | |

- For more information, please refer to www.brother.com/rd/printspeed.

 Based on ISO/ICE 17629.

- For more information, please refer to www.brother.com./rd/printspeed.

 Based on ISO/IEC 29183 for models without Automatic Document Feeder.
 For more information, please refer to www.brother.com/rd/printspeed.
- Based on ISO/IEC 24735 for models with Automatic Document Feeder only. For more information, please refer to www.brother.com/rd/printspeed.
- M Based on ISO/IEC 24735 Annex D.

- M Based on ITU-T Test Chart No 1/MMR.
- $^{\mbox{\tiny (M)}}$ Receiving is for Windows® only. This machine has Wireless Direct $^{\mbox{\tiny (M)}}$ function to connect a machine and a mobile device.
- For printing and scanning from Mac, use Air/Print or download iPrint&Scan
 Desktop App from Mac App Store. For printing on Brother iPrint&Scan
 application, it supports PDF/JPG/BMP and PNG file format only. MacOS driver is not provided.

 (x) Not supported on Mac and Linux.
 - Available for download at http://support.brother.com.
- (xi) Approximate page yield is extrapolated based on Brother original Methodology using Test Patterns ISO/IEC 24712.

 (iii) For the latest driver updates, visit http://support.brother.com
- # Specific models carry different quantities of ink bottles. Quoted approx. yields are extrapolated based on Brother original methodology using Test Pattern ISO/IEC 24712. Quoted yields are not based on ISO/IEC 24711.
- Size reduction compared to predecessor T720 model.
- + For selected models only.

Specifications

| | Total Land | | | |
|---|--|--|--|--|
| | | N | Mary and Di | |
| | DCP-T730DW | DCP-T830DW | MFC-T930DW | |
| unctions | Print, Scan, Copy | Print, Scan, Copy | Print, Scan, Copy, Fax | |
| ENERAL | | | | |
| emory | | 128MB | | |
| isplay | 1-Line LCD (16 characters) | 1-Line (20 characters) | 4.5cm Colour LCD | |
| achine Colour | | Black | | |
| OLOUR PRINT FUNCTION | | | | |
| int Speed (ESAT) ⁽ⁱ⁾ | Up to 16.0 ipm (mono) and 15.5 ipm (colour) | Up to 17.0 ipm (mono) | and 16.5 ipm (colour) | |
| int Speed (Eco Mode) | Up to 27.0 ppm (mono) and 23.0 ppm (colour) | Up to 30.0 ppm (mono) | and 26.0 ppm (colour) | |
| rst Print Out Time(i) (FPOT) | Up to 6.2 sec (mono) and 6.5 sec (colour) | Up to 6.0 sec (mono) and 6.5 sec (colour) | | |
| rint Resolution | Up to 1,200 x 6,000 dpi | Up to 1,200 | Up to 1,200 x 6,000 dpi | |
| -Sided Print | Automatic (Up to A4/LTR) Automatic (Up to A4/LTR) | | to A4/LTR) | |
| orderless Printing | Yes | Yes | S | |
| OLOUR COPY FUNCTION | | | | |
| Maximum Copy Size | Up to A4/LTR | Up to A | 4/LTR | |
| Copy Speed (ESAT/sESAT) | Up to 11.0 ipm (mono) and 8.0 ipm (colour) | Up to 13.0 ipm (mono) a | nd 10.5 ipm (colour) ^(iv) | |
| Copy Speed (FCOT) (v) | Up to 13.0 sec (mono) and 25.0 sec (colour) | Up to 10.5 sec (mono) a | and 21.0 sec (colour) | |
| Copy Resolution | , , , , , | 1,200 x 2,400 dpi | | |
| | 1,200 x 2,400 dpi | 1,200 X 2, | TOO UPI | |
| Enlargement / Reduction Ratio | 25% - 400% in 1% increments 25% - 400% in 1% increments | | | |
| N in 1 Copy | 2-in-1 / 2-in-1 (ID) / 4-in-1 | 2-in-1 / 2-in-1 | (ID) / 4-in-1 | |
| OLOUR SCAN FUNCTION | | | | |
| Maximum Scan Size | Onf | Up to A4/LTR | | |
| Scan Resolution | Interpolation (Interpolation (Interp | tical: Up to 1,200 x 2,400 dpi (ADF: Up to 1,200 x 600 dpi) ted: Up to 19,200 x 19,200 dpi (For Windows 10/11 with TWAIN | 1) | |
| can Speed (@ 100 dpi) | learne OOD Everil Eile | From scanner FB: 3.35 sec / 4.38 sec (mono/colour) | Lancar OOD Frank File HOD marrows | |
| Scan To" Feature AX FUNCTION | Image, OCR, Email, File | Image, OCR, Email, File | Image, OCR, Email, File, USB memory | |
| laximum Fax Size | NA | NA | A4, LTR, LEGAL (with ADF) | |
| Nodem Speed | NA | NA | 14.4kbps | |
| Memory Transmission ^(vi) / Out of Paper Reception ^(vi) | NA | NA | Up to 170 pages | |
| speed Dials | NA | NA | 40 | |
| Group Dials | NA | NA | Up to 6 groups | |
| C-Fax (Mono) CONNECTIVITY / NETWORKING | NA NA | NA | Sending & Receiving (viii) | |
| nterface | High Speed USB 2.0, WiFi-Direct, Wireless LAN (2.4GHz) | High Speed USB 2.0, WiFi-Direct, \ | Wireless LAN (2.4GHz), Ethernet | |
| Mobile Solutions | Prother Mobile Connect Ann (for | Android/iOS/Harmony OS), AirPrint (for iOS), Mopria, Brother F | Print Service Plugin (for Android) | |
| Desktop Solutions | Brother Mobile Connect App (for | | | |
| | Brother Woolle Connect App (for | iPrint&Scan Desktop App | | |
| mail Print | | Yes | Ves | |
| mail Print rother's Cloud Apps | NA NA | | Yes Yes | |
| mail Print rother's Cloud Apps /ebConnect | NA | Yes NA | | |
| mail Print rother's Cloud Apps /ebConnect APER HANDLING | NA | Yes NA | | |
| mail Print rother's Cloud Apps /ebConnect APER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose | NA | Yes NA NA Up to 150-sheets (80g/m²) | Yes ! Paper - 80g/m²) | |
| mail Print rother's Cloud Apps /ebConnect APER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) | NA NA | Yes NA NA Up to 150-sheets (80g/m²) 80 Sheets (Plain | Yes ! Paper - 80g/m²) | |
| Email Print Brother's Cloud Apps VebConnect VAPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output | NA NA | Yes NA NA Up to 150-sheets (80g/m²) 80 Sheets (Plain 20 Sheets (C | Yes ! Paper - 80g/m²) | |
| Email Print Brother's Cloud Apps VebConnect VAPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes | NA NA 1 Sheet A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In | Yes NA NA NA Up to 150-sheets (80g/m²) 80 Sheets (Plain 20 Sheets (60g/m²) Up to 50-sheets (up to A4) Up to 20-sheets (80g/m²) ndexcard(127x203mm), Photo-2L(127x178mm), C5 Envelope, 0 | Yes I Paper - 80g/m²) Blossy Paper) Com-10, DL Envelope, Monarch, Photo-L(89x127mm) | |
| mail Print prother's Cloud Apps JebConnect APER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes Standard Tray) | NA NA 1 Sheet A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In Mex A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In | Yes NA NA NA Up to 150-sheets (80g/m²) 80 Sheets (Plain 20 Sheets (6 Up to 50-sheets (up to A4) Up to 20-sheets (80g/m²) Indexcard(127x203mm), Photo-2L(127x178mm), C5 Envelope, Circo Legal, India Legal ("HK and TWN support B5(JIS)/B6(JIS) to adexcard (127x203mm), Photo-2L(127x178mm), C5 Envelope, Condexcard (127x203mm), Photo-2L(127x178mm), C5 Envelope, Condex | Yes I Paper - 80g/m²) Blossy Paper) Com-10, DL Envelope, Monarch, Photo-L(89x127mm) io.) Com-10, DL Envelope, Monarch, Photo-L(89x127mm) | |
| imail Print Brother's Cloud Apps VebConnect APER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Multi-Purpose Tray) | NA NA 1 Sheet A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In Mex A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In Mexico Legal, India Legal (*HK and | Yes NA NA NA Up to 150-sheets (80g/m²) 80 Sheets (Plain 20 Sheets (60g/m²) Up to 50-sheets (up to A4) Up to 20-sheets (80g/m²) Indexcard(127x203mm), Photo-2L(127x178mm), C5 Envelope, (60g) icico Legal, India Legal ("HK and TWN support B5(JIS)/B6(JIS) to indexcard (127x203mm), Photo-2L(127x178mm), C5 Envelope, (70g) TWN support B5(JIS)/B6(JIS) too.) ("LGL, Folio, Mexico Legal, 10g) | Yes I Paper - 80g/m²) Blossy Paper) Com-10, DL Envelope, Monarch, Photo-L(89x127mm) io.) Com-10, DL Envelope, Monarch, Photo-L(89x127mm) india Legal is only page at a time.) | |
| mail Print prother's Cloud Apps WebConnect APER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Irray) Paper Output Automatic Document Feeder Paper Handling Sizes Standard Tray) Paper Handling Sizes Multi-Purpose Tray) | NA NA 1 Sheet A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In Mex A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In Mexico Legal, India Legal (*HK and | Yes NA NA NA Up to 150-sheets (80g/m²) 80 Sheets (Plain 20 Sheets (6 Up to 50-sheets (up to A4) Up to 20-sheets (80g/m²) Indexcard(127x203mm), Photo-2L(127x178mm), C5 Envelope, Circo Legal, India Legal ("HK and TWN support B5(JIS)/B6(JIS) to adexcard (127x203mm), Photo-2L(127x178mm), C5 Envelope, Condexcard (127x203mm), Photo-2L(127x178mm), C5 Envelope, Condex | Yes I Paper - 80g/m²) Blossy Paper) Com-10, DL Envelope, Monarch, Photo-L(89x127mm) io.) Com-10, DL Envelope, Monarch, Photo-L(89x127mm) india Legal is only page at a time.) | |
| Email Print Brother's Cloud Apps VebConnect VAPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Multi-Purpose | NA NA 1 Sheet A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In Mex A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In Mexico Legal, India Legal (*HK and | Yes NA NA NA Up to 150-sheets (80g/m²) 80 Sheets (Plain 20 Sheets (60g/m²) Up to 50-sheets (up to A4) Up to 20-sheets (80g/m²) Indexcard(127x203mm), Photo-2L(127x178mm), C5 Envelope, (60g) icico Legal, India Legal ("HK and TWN support B5(JIS)/B6(JIS) to indexcard (127x203mm), Photo-2L(127x178mm), C5 Envelope, (70g) TWN support B5(JIS)/B6(JIS) too.) ("LGL, Folio, Mexico Legal, 10g) | Yes I Paper - 80g/m²) Com-10, DL Envelope, Monarch, Photo-L(89x127mm) Com-10, DL Envelope, Monarch, Photo-L(89x127mm) india Legal is only page at a time.) | |
| mail Print prother's Cloud Apps JebConnect APER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Iray) Paper Output Automatic Document Feeder Paper Handling Sizes Standard Tray) Paper Handling Sizes Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Multi-Purpose Iray) Media Type (Multi-Purpose Iray) Media Type (Multi-Purpose Iray) Media Type (Multi-Purpose Iray) | NA NA NA 1 Sheet A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In Mex A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In Mexico Legal, India Legal ("HK and FPlain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-300g/m²] | Yes NA NA NA Up to 150-sheets (80g/m²) 80 Sheets (Plain 20 Sheets (C Up to 50-sheets (up to A4) Up to 20-sheets (80g/m²) Indexcard(127x203mm), Photo-2L(127x178mm), C5 Envelope, C ico Legal, India Legal ("HK and TWN support B5(JIS)/B6(JIS) to hdexcard (127x203mm), Photo-2L(127x178mm), C5 Envelope, C TWN support B5(JIS)/B6(JIS) too.) ("LGL, Folio, Mexico Legal, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220] | Yes I Paper - 80g/m²) Blossy Paper) Com-10, DL Envelope, Monarch, Photo-L(89x127mm) io.) Com-10, DL Envelope, Monarch, Photo-L(89x127mm) india Legal is only page at a time.) | |
| imail Print Stother's Cloud Apps VebConnect VaPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Media Type (Standard Tray) Media Type (Standard Tray) Media Type (Multi-Purpose Tray) Media Type (Multi-Purpose Tray) Media Type (Multi-Purpose Tray) IUPPORTED OS AND SOFTWA Supported Operating | NA NA 1 Sheet A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In Mex A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In Mexico Legal, India Legal ("HK and FPlain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-300g/m²] | Yes NA NA NA Up to 150-sheets (80g/m²) 80 Sheets (Plain 20 Sheets (C Up to 50-sheets (up to A4) Up to 20-sheets (80g/m²) Indexcard(127x203mm), Photo-2L(127x178mm), C5 Envelope, C ico Legal, India Legal ("HK and TWN support B5(JIS)/B6(JIS) to hdexcard (127x203mm), Photo-2L(127x178mm), C5 Envelope, C TWN support B5(JIS)/B6(JIS) too.) ("LGL, Folio, Mexico Legal, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220] | Yes Paper - 80g/m²) Blossy Paper) Com-10, DL Envelope, Monarch, Photo-L(89x127mm) com-10, DL Envelope, Monarch, Photo-L(89x127mm) india Legal is only page at a time.) Dg/m²] cycled [Media weight 64-220g/m²] | |
| imail Print irother's Cloud Apps VebConnect APER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Multi-Purpose Tray) UPPORTED OS AND SOFTWA Supported Operating Systems ⁽⁶⁾ Management | NA NA 1 Sheet A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In Mex A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In Mexico Legal, India Legal ("HK and FPlain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-300g/m²] | Yes NA NA NA Up to 150-sheets (80g/m²) 80 Sheets (Plain 20 Sheets (G Up to 50-sheets (up to A4) Up to 20-sheets (80g/m²) Indexcard(127x203mm), Photo-2L(127x178mm), C5 Envelope, Circo Legal, India Legal ("HK and TWN support B5(JIS)/B6(JIS) to hdexcard (127x203mm), Photo-2L(127x178mm), C5 Envelope, C TWN support B5(JIS)/B6(JIS) too.) ("LGL, Folio, Mexico Legal, I Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220] Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220] | Yes Paper - 80g/m²) Blossy Paper) Com-10, DL Envelope, Monarch, Photo-L(89x127mm) com-10, DL Envelope, Monarch, Photo-L(89x127mm) india Legal is only page at a time.) Dg/m²] cycled [Media weight 64-220g/m²] | |
| Email Print Brother's Cloud Apps VebConnect VAPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Multi-Purpose Tray) SupPortEd Os AND SOFTWA Supported Operating Systems ⁽⁵⁰⁾ Management Tools | NA NA 1 Sheet A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In Mex A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In Mexico Legal, India Legal ("HK and FPlain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-300g/m²] | Yes NA NA NA Up to 150-sheets (80g/m²) 80 Sheets (Plain 20 Sheets (C Up to 50-sheets (up to A4) Up to 20-sheets (80g/m²) Indexcard(127x203mm), Photo-2L(127x178mm), C5 Envelope, C ico Legal, India Legal ("HK and TWN support B5(JIS)/B6(JIS) to Indexcard (127x203mm), Photo-2L(127x178mm), C5 Envelope, C TWN support B5(JIS)/B6(JIS) too.) ("LGL, Folio, Mexico Legal, I Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-22C Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-22C Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-22C Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-22C Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-22C Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-22C Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-22C | Yes Paper - 80g/m²) Blossy Paper) Com-10, DL Envelope, Monarch, Photo-L(89x127mm) com-10, DL Envelope, Monarch, Photo-L(89x127mm) india Legal is only page at a time.) Dg/m²] cycled [Media weight 64-220g/m²] | |
| Email Print Brother's Cloud Apps WebConnect PAPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Multi-Purpose Tray) Media Type (Multi-Purpose Tray) Supported Operating Systems (Systems) Management Tools SUPPLIES | NA NA 1 Sheet A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In Mex A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In Mexico Legal, India Legal ("HK and FPlain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-300g/m²] | Yes NA NA NA Up to 150-sheets (80g/m²) 80 Sheets (Plain 20 Sheets (C Up to 50-sheets (up to A4) Up to 20-sheets (80g/m²) Indexcard(127x203mm), Photo-2L(127x178mm), C5 Envelope, (cico Legal, India Legal (*HK and TWN support B5(JIS)/B6(JIS) to ndexcard (127x203mm), Photo-2L(127x178mm), C5 Envelope, (TWN support B5(JIS)/B6(JIS) to ndexcard (127x203mm), Photo-2L(127x178mm), C5 Envelope, (TWN support B5(JIS)/B6(JIS) to o.) (*LGL, Folio, Mexico Legal, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220] Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220] | Yes Paper - 80g/m²) Blossy Paper) Com-10, DL Envelope, Monarch, Photo-L(89x127mm) com-10, DL Envelope, Monarch, Photo-L(89x127mm) india Legal is only page at a time.) Dg/m²] cycled [Media weight 64-220g/m²] | |
| Email Print Brother's Cloud Apps VebConnect PAPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Multi-Purpose Tray) Supported Operating Systems ⁽⁶⁾ Management Tools SupPLIES Ink Bottle (6) | NA NA 1 Sheet A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In Mex A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In Mexico Legal, India Legal ("HK and FPlain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-300g/m²] | Yes NA NA NA Up to 150-sheets (80g/m²) 80 Sheets (Plain 20 Sheets (C Up to 50-sheets (up to A4) Up to 20-sheets (80g/m²) Indexcard(127x203mm), Photo-2L(127x178mm), C5 Envelope, C ico Legal, India Legal ("HK and TWN support B5(JIS)/B6(JIS) to Indexcard (127x203mm), Photo-2L(127x178mm), C5 Envelope, C TWN support B5(JIS)/B6(JIS) too.) ("LGL, Folio, Mexico Legal, I Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-22C Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-22C Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-22C Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-22C Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-22C Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-22C Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-22C | Yes I Paper - 80g/m²) Blossy Paper) Com-10, DL Envelope, Monarch, Photo-L(89x127mm) io.) Com-10, DL Envelope, Monarch, Photo-L(89x127mm) india Legal is only page at a time.) Dg/m²] cycled [Media weight 64-220g/m²] Chrome OS | |
| Email Print Brother's Cloud Apps VebConnect VaPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Andling Sizes (Standard Tray) Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Multi-Purpose Tray) SupPorted Operating Systems ⁽⁶⁾ Systems ⁽⁶⁾ Management Tools BUPPLIES nk Bottle (Multi-Purpose) Responded | NA NA 1 Sheet 1 Sheet A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In Mex A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In Mexico Legal, India Legal ("HK and FPlain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-300g/m²] RE Windows: 10 / 11 | Yes NA NA NA Up to 150-sheets (80g/m²) 80 Sheets (Plain 20 Sheets (C Up to 50-sheets (up to A4) Up to 20-sheets (up to A4) Up to 20-sheets (80g/m²) ndexcard(127x203mm), Photo-2L(127x178mm), C5 Envelope, C ico Legal, India Legal ("HK and TWN support B5(JIS)/B6(JIS) to ndexcard (127x203mm), Photo-2L(127x178mm), C5 Envelope, C TWN support B5(JIS)/B6(JIS) too.) ("LGL, Folio, Mexico Legal, I Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220] | Yes I Paper - 80g/m²) Blossy Paper) Com-10, DL Envelope, Monarch, Photo-L(89x127mm) io.) Com-10, DL Envelope, Monarch, Photo-L(89x127mm) india Legal is only page at a time.) Dg/m²] cycled [Media weight 64-220g/m²] Chrome OS | |
| Email Print Brother's Cloud Apps WebConnect PAPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Multi-Purpose Tray) SUPPORTED OS AND SOFTWA Supported Operating Systems ⁽⁶⁾ Management | NA NA NA 1 Sheet 1 Sheet A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In Mex A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In Mexico Legal, India Legal ("HK and Flain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-300g/m²] RE x1 BTD100BK / x1 each BTD100C/M/Y X HEIGHT (WEIGHT)] 390mm x 343mm x 182.5mm | Yes NA NA NA Up to 150-sheets (80g/m²) 80 Sheets (Plain 20 Sheets (C Up to 50-sheets (up to A4) Up to 20-sheets (80g/m²) Indexcard(127x203mm), Photo-2L(127x178mm), C5 Envelope, C icico Legal, India Legal ("HK and TWN support B5(JIS)/B6(JIS) to Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-22C Plain, Inkjet, Glossy (cast/resin), Recycled [Med | Yes I Paper - 80g/m²) Ilossy Paper) Com-10, DL Envelope, Monarch, Photo-L(89x127mm) India Legal is only page at a time.) Ig/m²] Cycled [Media weight 64-220g/m²] Chrome OS BTD100C/M/Y 435mm x 418mm x 180mm | |
| Email Print Brother's Cloud Apps WebConnect PAPER HANDLING Paper Input (Standard Tray) Paper Input (Multi-Purpose Tray) Paper Output Automatic Document Feeder Paper Handling Sizes (Standard Tray) Paper Handling Sizes (Multi-Purpose Tray) Media Type (Standard Tray) Media Type (Multi-Purpose Tray) Media Type (Multi-Purpose Tray) SUPPORTED OS AND SOFTWA Supported Operating Systems ⁽⁶⁾ Management Tools SUPPLIES nk Bottle ⁽⁶⁾ nbox inks DIMENSIONS [WIDTH X DEPTH | NA NA 1 Sheet 1 Sheet A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In Mex A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), In Mexico Legal, India Legal ("HK and Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-300g/m²] RE Windows: 10 / 11 x1 BTD100BK / x1 each BTD100C/M/Y | Yes NA NA NA Up to 150-sheets (80g/m²) 80 Sheets (Plain 20 Sheets (C Up to 50-sheets (up to A4) Up to 20-sheets (80g/m²) Indexcard(127x203mm), Photo-2L(127x178mm), C5 Envelope, (according to Legal, India Legal ("HK and TWN support B5(JIS)/B6(JIS) to ndexcard (127x203mm), Photo-2L(127x178mm), C5 Envelope, (according to Legal, India Legal ("HK and TWN support B5(JIS)/B6(JIS) too.) ("LGL, Folio, Mexico Legal, India Legal ("HK and TWN support B5(JIS)/B6(JIS) too.) ("LGL, Folio, Mexico Legal, India Legal ("HK and TWN support B5(JIS)/B6(JIS) too.) ("LGL, Folio, Mexico Legal, India Legal ("HK and TWN support B5(JIS)/B6(JIS) too.) ("LGL, Folio, Mexico Legal, India Light, Folio, Folio, India Light, Folio, F | Yes Paper - 80g/m²) Plossy Paper) Com-10, DL Envelope, Monarch, Photo-L(89x127mm) Plossy Paper) Com-10, DL Envelope, Monarch, Photo-L(89x127mm) Com-10, DL Envelope, Monarch, Photo-L(89x127mm) India Legal is only page at a time.) Plog/m²] Cycled [Media weight 64-220g/m²] Chrome OS | |

^{&#}x27; Machine life is based on either page count or year tallied, whichever comes first and is based on printer usage under following conditions. Printer setting: Default settings for all, Media type: Plain paper, Print pattern: ISO/IEC 24712, Environment: Normal temperature and humidity. Measurements are taken based on Brother's internal testing environment. Data for waste ink pad is based on measurement with assumed monthly usage of 50 to 1,000 pages. To maintain product's quality, the waste ink pad needs to be replaced before reaching page count or year limit depending on the environment and printer models.



supporting your journey through every milestone.

Brother 3-Year Warranty

When you purchase a Brother printer and our genuine inks or toners, we'll support you every step of the way with our FREE 3-year** warranty commitment. YOU DO NOT NEED TO REGISTER YOUR PRODUCT, our warranty is automatic when you purchase your Brother printer. To keep yourBrother machine running in optimal condition, we recommend using only Brother Genuine Consumables, this will ensure you automatically enjoy our exclusive 3-year warranty.





**Effective 1 September 2025. Only valid for purchases in South Africa.



Brother International South Africa

96 Sovereign Drive, Route 21 Corporate Park, Irene Tel 0861 brother Email info@brother.co.za www.brother.co.za https://support.brother.com/













