

Reliable Prints in High Volume

Brilliant Colours, Compact Size









DCP-T230

Print | Scan | Copy Value for money Simple user interface Windows





DCP-T430W

Print | Scan | Copy Value for money Simple user interface Wireless & Mobile print



DCP-T530DW

Print | Scan | Copy Value for money User friendly LCD panel Duplex print Wireless & Mobile print

INBOX INKS: DCP-T230, DCP-T430W, DCP-T530DW: x1 BK





Compact size, tidy space

Keep your space neat and tidy with out latest ink tank series. **Reducing 24%**[^] of the space needed, plus our front **loading paper tray**, you can now place our printer anywhere.

No wires, just family fun!

Experience hassle-free printing! Our **wireless printer**⁺ lets you print straight from your smartphone, so you can share family memories and important documents without a computer.

Practical functions for your family

We prioritise your printing experience! Our printer features a **plug-and-play design** for quick setup, **easy-to-use buttons**, and a **clear display panel**⁺ for effortless navigation. Plus, our **spill-free refill technology** means you can refill ink without the hassle—printing has never been this simple!



INK TANK PRINTERS

Designed for Business. Building a Better Workspace, Effortless Productivity

brothe





DCP-T730DW

Print | Scan | Copy Value for money User friendly LCD panel Duplex print Automatic document feeder



DCP-T830DW



DCP-T830DW

Print | Scan | Copy Cost efficiency User friendly LCD panel Duplex print Automatic document feeder 80 sheets multi-purpose tray





MFC-T930DW

Print | Scan | Copy | Fax Cost efficiency 4.5cm colour LCD Duplex print Automatic document feeder 80 sheets multi-purpose tray

04

INBOX INKS: DCP-T730DW, DCP-T830DW, MFC-T930DW: x2 BK



Pro prints in different sizes

Ensure your documents look perfect from start to finish! Our printer provides **professional consistency** with **high-quality** prints in sizes like A4, A5⁺, A6⁺, LTR, and photo. Whether it's a presentation or a client photo, count on us for outstanding results that showcase your business.

Engineered for work success

Our printer is engineered for business success, offering features like convenient **shortcut keys**⁺ for one-tap actions that boost your productivity.

The transparent ink tank makes it **easy to check** ink levels at a glance, while **hands-free refilling** keeps you focused on your work.

With **ADF scanning**⁺ **for up to 20 sheets** at a time, you can handle documents quickly and efficiently, empowering your business to thrive!

Print on the go workflow

DCP-T730DW

Staying connected is key. Our printer's mobile and email printing capabilities empower you to bring your ideas to life, no matter where you are. Imagine effortlessly printing important documents directly from your smartphone or sending files straight from your email*!

Where Every Print Pays Off!

At our core, we believe that quality printing shouldn't break the bank. With our ink tank printer, you can enjoy an exceptionally **low cost per print**, making it easier than ever to produce the documents and materials your business needs.

Specifications

Available exclusively from amazon.co.za

64M LEC Black UNCTION Up to 1,200 x 6,000 dpi (Windows) Manual (Up - Manual (Up - 25% - 400% in 1% increme 2-in-1 / 2-in-1 (ID) / 4-in- UNCTION	D Black Up to 16.0 ipm (mono) Up to 27.0 ppm (mono) Up to 6.2 sec (mono) Up to 1.20 to A4/LTR) Ye Up to 11.0 ipm (mono) Up to 11.0 ipm (mono) Up to 13.0 sec (mono) 1,200 x 1	128MB 1-Line LCD (16 characters) Black White and 9.0 ipm (colour) and 11.0 ppm (colour) and 11.0 ppm (colour) and 9.6 sec (colour) 00 x 6,000 dpi (Windows) / Up to 1,200 x 3,600 dpi (Mac) Automatic (Up to A4/LTR) ass A4/LTR and 3.5 ipm (colour) ⁽ⁱⁿ⁾ and 28.5 sec (colour)			
LED Black UNCTION Up to 1,200 x 6,000 dpi (Windows) Manual (Up - Manual (Up - UNCTION 25% - 400% in 1% increme 2-in-1 / 2-in-1 (ID) / 4-in-	D Black Up to 16.0 ipm (mono) Up to 27.0 ppm (mono) Up to 6.2 sec (mono) Up to 1.20 to A4/LTR) Ye Up to 11.0 ipm (mono) Up to 11.0 ipm (mono) Up to 13.0 sec (mono) 1,200 x 1	1-Line LCD (16 characters) Black White and 9.0 ipm (colour) and 9.0 ipm (colour) and 9.6 sec (colour) 10 x 6,000 dpi (Windows) / Up to 1,200 x 3,600 dpi (Mac) Automatic (Up to A4/LTR) 38 A4/LTR and 3.5 ipm (colour) ^[III] and 28.5 sec (colour)			
LED Black UNCTION Up to 1,200 x 6,000 dpi (Windows) Manual (Up - Manual (Up - UNCTION 25% - 400% in 1% increme 2-in-1 / 2-in-1 (ID) / 4-in-	D Black Up to 16.0 ipm (mono) Up to 27.0 ppm (mono) Up to 6.2 sec (mono) Up to 1.20 to A4/LTR) Ye Up to 11.0 ipm (mono) Up to 11.0 ipm (mono) Up to 13.0 sec (mono) 1,200 x 1	1-Line LCD (16 characters) Black White and 9.0 ipm (colour) and 9.0 ipm (colour) and 9.6 sec (colour) 10 x 6,000 dpi (Windows) / Up to 1,200 x 3,600 dpi (Mac) Automatic (Up to A4/LTR) 38 A4/LTR and 3.5 ipm (colour) ^[III] and 28.5 sec (colour)			
Black UNCTION Up to 1,200 x 6,000 dpi (Windows) Manual (Up · UNCTION 25% - 400% in 1% increment 2-in-1 / 2-in-1 (ID) / 4-in-	Black Up to 16.0 ipm (mono) Up to 27.0 ppm (mono) Up to 6.2 sec (mono) Up to 1.20 to A4/LTR) Ye Up to 11.0 ipm (mono) Up to 13.0 sec (mono) 1,200 x 1	Black White Description (colour) Black White Black White Description (colour) Black White Black White Black White Black			
UNCTION Up to 1,200 x 6,000 dpi (Windows) Manual (Up · UNCTION 25% - 400% in 1% increment 2-in-1 / 2-in-1 (ID) / 4-in-	Up to 16.0 ipm (mono) Up to 27.0 ppm (mono) Up to 6.2 sec (mono) Up to 1,20 to A4/LTR) Ye Up to 11.0 ipm (mono) Up to 11.0 ipm (mono) 1,200 x 1	and 9.0 ipm (colour) and 9.0 ipm (colour) and 9.6 sec (colour) 0 x 6,000 dpi (Windows) / Up to 1,200 x 3,600 dpi (Mac) Automatic (Up to A4/LTR) as A4/LTR and 3.5 ipm (colour) ⁽ⁱⁱ⁾ and 28.5 sec (colour)			
Up to 1,200 x 6,000 dpi (Windows) Manual (Up JNCTION 25% - 400% in 1% increm 2-in-1 / 2-in-1 (ID) / 4-in-	Up to 27.0 ppm (mono) Up to 6.2 sec (mono) Up to 1,20 to A4/LTR) Ye Up to 11.0 ipm (mono) Up to 11.0 ipm (mono) Up to 13.0 sec (mono) 1,200 x 1	and 11.0 ppm (colour) and 9.6 sec (colour) 10 x 6,000 dpi (Windows) / Up to 1,200 x 3,600 dpi (Mac) Automatic (Up to A4/LTR) 38 A4/LTR and 3.5 ipm (colour) ⁽ⁱⁱⁱ⁾ and 28.5 sec (colour)			
Manual (Up JNCTION 25% - 400% in 1% increme 2-in-1 / 2-in-1 (ID) / 4-in-	Up to 6.2 sec (mono) Up to 1,20 to A4/LTR) Ye Up to 11.0 ipm (mono) Up to 11.0 ipm (mono) 1,200 x 1	and 9.6 sec (colour) 10 x 6,000 dpi (Windows) / Up to 1,200 x 3,600 dpi (Mac) Automatic (Up to A4/LTR) as A4/LTR and 3.5 ipm (colour) ⁽ⁱⁱⁱ⁾ and 28.5 sec (colour)			
Manual (Up JNCTION 25% - 400% in 1% increme 2-in-1 / 2-in-1 (ID) / 4-in-	Up to 1,20 to A4/LTR) Ye Up to 11.0 ipm (mono) i Up to 11.0 ipm (mono) i Up to 13.0 sec (mono) 1,200 x 1	0 x 6,000 dpi (Windows) / Up to 1,200 x 3,600 dpi (Mac) Automatic (Up to A4/LTR) as A4/LTR and 3.5 ipm (colour) ^{im} and 28.5 sec (colour)			
Manual (Up JNCTION 25% - 400% in 1% increme 2-in-1 / 2-in-1 (ID) / 4-in-	Up to 1,20 to A4/LTR) Ye Up to 11.0 ipm (mono) i Up to 11.0 ipm (mono) i Up to 13.0 sec (mono) 1,200 x 1	0 x 6,000 dpi (Windows) / Up to 1,200 x 3,600 dpi (Mac) Automatic (Up to A4/LTR) as A4/LTR and 3.5 ipm (colour) ^{im} and 28.5 sec (colour)			
Manual (Up JNCTION 25% - 400% in 1% increme 2-in-1 / 2-in-1 (ID) / 4-in-	to A4/LTR) Ye Up to 1 Up to 11.0 ipm (mono) Up to 13.0 sec (mono) 1,200 x 1	Automatic (Up to A4/LTR) ass A4/LTR and 3.5 ipm (colour) ⁽ⁱⁱⁱ⁾ and 28.5 sec (colour)			
UNCTION 25% - 400% in 1% increm 2-in-1 / 2-in-1 (ID) / 4-in-	Ye Up to / Up to 11.0 ipm (mono) : Up to 13.0 sec (mono) 1,200 x 1	A4/LTR and 3.5 ipm (colour) ^{im} and 28.5 sec (colour)			
25% - 400% in 1% increm 2-in-1 / 2-in-1 (ID) / 4-in-	Up to / Up to 11.0 ipm (mono) : Up to 13.0 sec (mono) 1,200 x 1,	A4/LTR and 3.5 ipm (colour) ⁽ⁱⁱⁱ⁾ and 28.5 sec (colour)			
25% - 400% in 1% increm 2-in-1 / 2-in-1 (ID) / 4-in-	Up to 11.0 ipm (mono) Up to 13.0 sec (mono) 1,200 x 1	and 3.5 ipm (colour) ⁽ⁱⁱ⁾ and 28.5 sec (colour)			
2-in-1 / 2-in-1 (ID) / 4-in-	Up to 11.0 ipm (mono) Up to 13.0 sec (mono) 1,200 x 1	and 3.5 ipm (colour) ⁽ⁱⁱ⁾ and 28.5 sec (colour)			
2-in-1 / 2-in-1 (ID) / 4-in-	Up to 13.0 sec (mono) 1,200 x 1,	and 28.5 sec (colour)			
2-in-1 / 2-in-1 (ID) / 4-in-	1,200 x 1				
2-in-1 / 2-in-1 (ID) / 4-in-		,800 dpi			
2-in-1 / 2-in-1 (ID) / 4-in-		,ooo ahi			
2-in-1 / 2-in-1 (ID) / 4-in-	ents (via Remote Copy)				
		25% - 400% in 1% increments			
	1 (via Bemote Copy)	2-in-1 / 2-in-1 (ID) / 4-in-1			
	Up to A	94/LTB			
Optical: Up to 1,200 x 2,400 dpi					
	Interpolated: Up to 19,200 x 19,200 c				
	From scanner FB: 3.35 se	ac / 4.38 sec (mono/colour)			
		t Email Eile			
	iniage, oon				
	High Speed USB 2.0 Wireless Direct ^(viii)				
Hi-Speed USB 2.0	Wireless LAN (2.4GHz)	High Speed USB 2.0,Wi-Fi Direct, Wireless LAN (2.4 GHz)			
NA	Brother Mobile Connect App (for Android/iOS/Harmony OS), AirPrint (for iOS), Mopria, Brother Print Service Plugin (for Android)				
iPrint&Scan Desktop App (for Windows OS only) iPrint&Scan Desktop App					
NA Yes					
	Up to 150-sh	eets (80 α/m²)			
1 Sheet					
Up to 50-sheets (up to A4)					
NA					
A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), Indexcard(127x203mm), Photo-2L(127x178mm), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x127mm), Mexico Legal, India Legal ("HK and TWN support B5(JIS)/B6(JIS) too.)					
A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), Indexcard(127x203mm), Photo-2L(127x178mm), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x127mm), Mexico Legal, India Legal ("HK and TWN support B5(JIS)/B6(JIS) too.)					
Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²]					
	Plain Inkiet Glossy (cast/resin) P	ecvcled [Media weight 64-300g/m²]			
	Windows 10/11	Windowe 10 / 11 / 0 0010 / 0010 / 0000			
Windows: 10 / 11 Linux OS Chrome OS	macOS [®] v12/13/14 Linux OS	Windows: 10 / 11 / Server 2016 / 2019 / 2022 macOS [™] v12/13/14 Linux OS Chrome OS			
EW/S		BRAdmin Light [⊗] , EWS			
Evvo		or Aunin Light", Eveo			
	RTD100 RK: Approximate Vie	ald 7.500 A4 pages			
	BTD100 C/M/Y: Approximate Y	/ield 5,000 A4 pages			
	x1 each BTD1	100BK/C/M/Y			
OTH X DEPTH X HEIGHT (WEIGHT)]					
		390mm x 343mm x 148.5mm (7.2kg)			
	30,000 pa	ges or 5 years			
1,000 pages pm					
	rint&Scan Desktop App (for Windows OS only) NA A4, LTR, LGL, Folio, EXE, A5, A6, Pho A4, LTR, LGL, Folio, EXE, A5, A6, Pho B4, LTR, LGL, Folio, EX	Image, OCR IETWORKING HI-Speed USB 2.0 High Speed USB 2.0, Wireless Direct ^{we} Wireless LAN (2.4GHz) NA Brother Mobile Connect App (for Andr rint&Scan Desktop App (for Windows OS only) NA Up to 150-sh Up to 150-sh Up to 50-she A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), Indexcard(127x203mm), Photo- Mexico Legal, India Legal ('HK and A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), Indexcard(127x203mm), Photo- Mexico Legal, India Legal ('HK and A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), Indexcard(127x203mm), Photo- Mexico Legal, India Legal ('HK and A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), Indexcard(127x203mm), Photo- Mexico Legal, India Legal ('HK and Plain, Inkjet, Glossy (cast/resin), Re Plain, Inkjet, Glossy (cast/resin), Re ND SOFTWARE Windows: 10 / 11 Unux OS Chrome OS EWS BTD100 EK: Approximate Yie BTD100 EK:			

Based on ISO/IEC 24734.

- For more information, please refer to www.brother.com/rd/printspeed. Based on ISO/ICE 17629.
- For more information, please refer to www.brother.com./rd/printspeed.
 Based on ISO/IEC 29183 for models without Automatic Document Feeder.
 For more information, please refer to www.brother.com/rd/printspeed.
- Based on ISO/IEC 24735 for models with Automatic Document Feeder only. For more information, please refer to www.brother.com/rd/printspeed.
- M Based on ISO/IEC 24735 Annex D.
- M Based on ITU-T Test Chart No 1/MMR.
- Receiving is for Windows® only. This machine has Wireless Direct ⁽ⁱⁱⁱ⁾ function to connect a machine and a mobile device.
- For printing and scanning from Mac, use Air/Print or download iPrint&Scan Desktop App from Mac App Store. For printing on Brother iPrint&Scan application, it supports PDF/JPG/BMP and PNG file format only. MacOS driver is not provided.

 - Available for download at http://support.brother.com.
- (s) Approximate page yield is extrapolated based on Brother original
- Methodology using Test Patterns ISO/IEC 24712.
- # Specific models carry different quantities of ink bottles. Quoted approx. yields are extrapolated based on Brother original methodology using Test Pattern ISO/IEC 24712. Quoted yields are not based on ISO/IEC 24711.
- Size reduction compared to predecessor T720 model.
- + For selected models only.

Specifications

	DCP-T730DW	DCP-T830DW	MFC-T930DW	
unctions	Print, Scan, Copy	Print, Scan, Copy	Print, Scan, Copy, Fax	
ENERAL				
lemory		128MB		
isplay	1-Line LCD (16 characters)	1-Line (20 characters)	4.5cm Colour LCD	
lachine Colour		Black		
rint Speed (ESAT) ⁽ⁱ⁾	Up to 16.0 ipm (mono) and 15.5 ipm (colour)	Lip to 17.0 ipm (mapp)	and 16 5 ipm (colour)	
rint Speed (Eco Mode)	Up to 27.0 ppm (mono) and 23.0 ppm (colour)	Up to 17.0 ipm (mono) and 16.5 ipm (colour) Up to 30.0 ppm (mono) and 26.0 ppm (colour)		
irst Print Out Time ⁽ⁱⁱ⁾ (FPOT)				
rint Resolution	Up to 6.2 sec (mono) and 6.5 sec (colour)	Up to 6.0 sec (mono)		
	Up to 1,200 x 6,000 dpi	Up to 1,200 x 6,000 dpi Automatic (Up to A4/LTR)		
-Sided Print	Automatic (Up to A4/LTR)	Yes		
orderless Printing OLOUR COPY FUNCTION	Yes	Ye	S	
Maximum Copy Size	Up to A4/LTR	Up to A	4/ITB	
		· · ·		
Copy Speed (ESAT/sESAT)	Up to 11.0 ipm (mono) and 8.0 ipm (colour)	Up to 13.0 ipm (mono) and 10.5 ipm (colour) ^(h)		
Copy Speed (FCOT) ^(v)	Up to 13.0 sec (mono) and 25.0 sec (colour)	Up to 10.5 sec (mono) and 21.0 sec (colour)		
Copy Resolution	1,200 x 2,400 dpi	1,200 x 2,400 dpi		
inlargement / Reduction Ratio	25% - 400% in 1% increments	25% - 400% in 1% increments		
N in 1 Copy	2-in-1 / 2-in-1 (ID) / 4-in-1	2-in-1 / 2-in-1 (ID) / 4-in-1		
OLOUR SCAN FUNCTION				
aximum Scan Size	00	Up to A4/LTR		
can Resolution	Optical: Up to 1,200 x 2,400 dpi (ADF: Up to 1,200 x 600 dpi) Interpolated: Up to 19,200 x 19,200 dpi (For Windows 10/11 with TWAIN)			
can Speed (@ 100 dpi) Scan To" Feature	Image, OCR, Email, File	From scanner FB: 3.35 sec / 4.38 sec (mono/colour) Image, OCR, Email, File	Image, OCR, Email, File, USB memory	
AX FUNCTION	image, OCA, Email, File	inage, oon, Email, File	image, OCH, Email, File, OSB memory	
aximum Fax Size	NA	NA	A4, LTR, LEGAL (with ADF)	
odem Speed	NA	NA	14.4kbps	
emory Transmission ^(vi) / ut of Paper Reception ^(vi)	NA	NA	Up to 170 pages	
peed Dials	NA	NA	40	
roup Dials C-Fax (Mono)	NA NA	NA NA	Up to 6 groups Sending & Receiving (***)	
ONNECTIVITY / NETWORKIN				
terface	High Speed USB 2.0, WiFi-Direct, Wireless LAN (2.4GHz)	High Speed USB 2.0,WiFi-Direct,		
obile Solutions esktop Solutions	Brother Mobile Connect App (for	Android/iOS/Harmony OS) , AirPrint (for iOS), Mopria, Brother iPrint&Scan Desktop App	Print Service Plugin (for Android)	
mail Print		Yes		
other's Cloud Apps	NA	NA	Yes	
ebConnect	NA	NA	Yes	
Paper Input (Standard Tray)		I In to 150-sheets (80a/m²)		
	Up to 150-sheets (80g/m²)			
aper Input (Multi-Purpose ray)	1 Sheet 80 Sheets (Plain Paper - 80g/m²) 20 Sheets (Glossy Paper)			
aper Output	Up to 50-sheets (up to A4)			
utomatic Document Feeder	Up to 20-sheets (80g/m²)			
aper Handling Sizes Standard Tray)	A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), Indexcard(127x203mm), Photo-2L(127x178mm), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x127mm) Mexico Legal, India Legal ('HK and TWN support B5(JIS)/B6(JIS) too.)			
Paper Handling Sizes Multi-Purpose Tray)	A4, LTR, LGL, Folio, EXE, A5, A6, Photo(102x152mm), Indexcard (127x203mm), Photo-2L(127x178mm), C5 Envelope, Com-10, DL Envelope, Monarch, Photo-L(89x127mm) Mexico Legal, India Legal ("HK and TWN support B5(JIS)/B6(JIS) too.) ("LGL, Folio, Mexico Legal, India Legal is only page at a time.)			
Adia Type (Standard Travi)		Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-220g/m²]		
ledia Type (Multi-Purpose	l Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-300g/m²]	Plain, inkjet, Glossy (cast/resin), Recycled [Media Weight 64-22 Plain, Inkjet, Glossy (cast/resin), Re		
ledia Type (Multi-Purpose ray) JPPORTED OS AND SOFTWA	Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-300g/m²]			
ledia Type (Multi-Purpose ray) JPPORTED OS AND SOFTWA Supported Doerating	Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-300g/m²] RE		ccycled [Media weight 64-220g/m ²]	
Media Type (Multi-Purpose ray) JPPORTED OS AND SOFTWA Supported Operating Systems ^(III) Wanagement	Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-300g/m²] RE	Plain, Inkjet, Glossy (cast/resin), Re	ccycled [Media weight 64-220g/m ²]	
Aedia Type (Multi-Purpose ray) UPPORTED OS AND SOFTWA Supported Operating Systems ⁽ⁱⁱⁱ⁾ Management Tools	Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-300g/m²] RE	Plain, Inkjet, Glossy (cast/resin), Re / Server 2016 / 2019 / 2022 , macOS ^(a) v12/13/14 , Linux OS ,	ccycled [Media weight 64-220g/m²]	
Media Type (Multi-Purpose ray) UPPORTED OS AND SOFTWA Supported Operating Systems ²⁴⁰ Management Tools UPPLIES	Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-300g/m²] RE	Plain, Inkjet, Glossy (cast/resin), Re / Server 2016 / 2019 / 2022 , macOS ⁽⁶⁾ v12/13/14 , Linux OS , BRAdmin Light ⁽⁶⁾ , EWS BTD100 BK: Approximate Yield 7,500 A4 pages	ccycled [Media weight 64-220g/m²]	
Media Type (Multi-Purpose ray) JPPORTED OS AND SOFTWA Supported Deerating Systems ^(w) Vanagement Fools JPPLIES k Bottle ^(w)	Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-300g/m²] RE Windows: 10 / 11	Plain, Inkjet, Glossy (cast/resin), Re / Server 2016 / 2019 / 2022 , macOS ^(k) v12/13/14 , Linux OS , BRAdmin Light ^(k) , EWS BTD100 BK: Approximate Yield 7,500 A4 pages BTD100 C/M/Y: Approximate Yield 5,000 A4 pages	ccycled [Media weight 64-220g/m²] Chrome OS	
Aedia Type (Multi-Purpose Tay) UPPORTED OS AND SOFTWA Supported Operating Systems ³⁰⁰ Management Tools UPPLIES k Bottle ^(M) box inks	Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-300g/m²] RE Windows: 10 / 11 x1 BTD100BK / x1 each BTD100C/M/Y	Plain, Inkjet, Glossy (cast/resin), Re / Server 2016 / 2019 / 2022 , macOS ⁽⁶⁾ v12/13/14 , Linux OS , BRAdmin Light ⁽⁶⁾ , EWS BTD100 BK: Approximate Yield 7,500 A4 pages	ccycled [Media weight 64-220g/m²] Chrome OS	
Addia Type (Multi-Purpose Tray) UPPORTED OS AND SOFTWA Supported Operating Systems ^(%) Management Tools UPPLIES ik Bottle ^(%) ibox inks IMENSIONS [WIDTH X DEPTH	Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-300g/m ²] RE Windows: 10 / 11 x1 BTD100BK / x1 each BTD100C/M/Y IX HEIGHT (WEIGHT)] 390mm x 343mm x 182.5mm	Plain, Inkjet, Glossy (cast/resin), Re / Server 2016 / 2019 / 2022 , macOS ^(a) v12/13/14 , Linux OS , BRAdmin Light ^(a) , EWS BTD100 BK: Approximate Yield 7,500 A4 pages BTD100 C/M/Y: Approximate Yield 5,000 A4 pages x2 BTD100BK / x1 each 435mm x 418mm x 180mm	Chrome OS BTD100C/M/Y 435mm x 418mm x 180mm	
Aedia Type (Multi-Purpose Tray) UPPORTED OS AND SOFTWA Supported Operating Systems ^(%) Management Tools UPPLIES k Bottle ^(%) kbottle ^(%) kbottle ^(%) kbottle ^(%)	Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-300g/m²] RE Windows: 10 / 11 x1 BTD100BK / x1 each BTD100C/M/Y IX HEIGHT (WEIGHT)]	Plain, Inkjet, Glossy (cast/resin), Re / Server 2016 / 2019 / 2022 , macOS ^(iv) v12/13/14 , Linux OS , BRAdmin Light ^(iv) , EWS BTD100 BK: Approximate Yield 7,500 A4 pages BTD100 C/M/Y: Approximate Yield 5,000 A4 pages x2 BTD100BK / x1 each	Chrome OS	
Media Type (Standard Tray) Media Type (Multi-Purpose Tray) UPPORTED OS AND SOFTWA Supported Operating Systems ^(%) Management Tools UPPLIES ak Bottle ^(%) abox inks UMENSIONS [WIDTH X DEPTH Vithout Carton UTHERS Machine Life'	Plain, Inkjet, Glossy (cast/resin), Recycled [Media weight 64-300g/m ²] RE Windows: 10 / 11 x1 BTD100BK / x1 each BTD100C/M/Y IX HEIGHT (WEIGHT)] 390mm x 343mm x 182.5mm	Plain, Inkjet, Glossy (cast/resin), Re / Server 2016 / 2019 / 2022 , macOS ^(a) v12/13/14 , Linux OS , BRAdmin Light ^(a) , EWS BTD100 BK: Approximate Yield 7,500 A4 pages BTD100 C/M/Y: Approximate Yield 5,000 A4 pages x2 BTD100BK / x1 each 435mm x 418mm x 180mm	Chrome OS BTD100C/M/Y 435mm x 418mm x 180mm	

Machine life is based on either page count or year tallied, whichever comes first and is based on printer usage under following conditions. Printer setting: Default settings for all, Media type: Plain paper, Print pattern: ISO/IEC 24712, Environment: Normal temperature and humidity. Measurements are taken based on Brother's internal testing environment. Data for waste ink pad is based on measurement with assumed monthly usage of 50 to 1,000 pages. To maintain product's quality, the waste ink pad needs to be replaced before reaching page count or year limit depending on the environment and printer models.

Sustainability with Brother Ink Tank

Enjoy long-term use and reliable durability with Brother's latest Ink Tank printer series. This lasting usability helps reduce waste while offering more than just productivity—it contributes to a more sustainable business and home environment.

This is made possible by its design for heavy print yields of up to 50,000 pages or 5-year machine life*, supporting your journey through every milestone.

Brother 5-Year Warranty

When you purchase a Brother printer and our genuine inks or toners, we'll support you every step of the way with our FREE 5-year warranty commitment. YOU DO NOT NEED TO REGISTER YOUR YOUR PRODUCT, our warranty is automatic when you purchase your Brother printer. To keep yourBrother machine running in optimal condition, we recommend using only Brother Genuine Consumables, this will ensure you automatically enjoy our exclusive 5-year warranty.





Brother International South Africa 96 Sovereign Drive, Route 21 Corporate Park, Irene Tel 0861 brother Email info@brother.co.za www.brother.co.za https://support.brother.com/





All specifications correct at time of publication and are subject to change without notice. Brother and its logo are trademarks of Brother Industries LTD., Japan. All registered trademarks referenced herein are the property of their respective companies.