





Empower your business with an outstanding performer that wont let you down. Designed for enhanced productivity and cost-efficiency, Brother's range of black and white laser printer and multifunction printer series combine wireless and mobile printing, scanning and copying capabilities to deliver office-wide productivity that you can count on.



MFC-L2700DW Black & White Laser Multifunction Printer



DCP-L2540DW Black & White Laser Multifunction Printer



HL-L2365DW Black & White Laser Printer



30ppm High Print Speed



Automatic 2-sided print



Wired/ Wireless LAN



Mobile Printing



Brother's Apps



Web Connect



250-sheet Paper Tray

### Productivity that goes

# **Beyond Performance**

#### Expanded paper handling capacity

In a busy workplace, frequent refills of your printer's paper tray can be disruptive. With a 250 sheet dust-free paper tray and 35 sheet auto document feeder, on the multi-function centres, you can stay productive for longer stretches at a time.

#### Impressive print performance and quality

Count on business-class print and copy speeds of up to 30ppm, fast first-page-out of less than 8.5 seconds, and excellent black print quality for sharp, clear text, charts and images.

### Connectivity

# **Made Simple**

#### **Connect Wirelessly**





Connect your mobile device to your printer effortlessly with one-touch wireless set-up. Simply connect your printer to any WiFi compatible mobile device without the need for a router or hotspot, and you are ready to print from or scan to your mobile device directly. WiFi direct makes it easy to print emails, webpages and documents.

#### **Mobile Print**





Start printing or scanning from your smart device. Use the iPrint&Scan app, Apple Airprint or Mopria Print Service to print and scan straight from your iPhone, iPad or Android<sup>TM</sup> device

#### Peace of Mind

## **Guaranteed**

When you purchase a Brother printer and our genuine inks or toners, we'll support you every step of the way with our FREE 3-year\* warranty commitment. YOU DO NOT NEED TO REGISTER YOUR PRODUCT, our warranty is automatic when you purchase your Brother product. With Brother, you can have peace of mind that we are always "At Your Side".

To keep your Brother printer running in optimal condition we recommend that you use only Brother Genuine Consumables, this will ensure you automatically enjoy our exclusive 3-year warranty on your printer.



\*Effective 1 September 2025. Only valid for purchases in South Africa.

#### Keep your

## **Running Costs Low**

# Cost-efficient Toner Supplies

Enjoy greater print volumes at lower costs-per-page with 2,600-page high yield\* toners included in the box

# Automatic 2-sided Printing

With automatic 2-sided printing, you can easily set all print jobs to print on both sides of the paper, cutting down costs and paper waste by up to 50%.





	HL-L2365DW	DCP-L2540DW	MFC-L2700DW
General			
Memory	32MB		
Interface	Hi-Speed 2.0		
Network	10Base-T/100Base-TX, IEEE 802.11b/g/n (Infrastructure Mode/Ad-hoc Mode) IEEE 802.11g/n (Wi-Fi Direct)		
Mobile Print		Brother iPrint&Scan, AirPrint, Mopria	
Emulation	PCL6	PCL6; BF	RScript3
Security Features	-	_	-
Control Panel	16 characters x 1 line LCD	16 characters	
Toner Save Mode Print Function	Save	e toner by printing documents in toner save mode	3
Print Speed A4		Up to 30ppm	
2-Sided Print		Automatic	
Print Resolution	600 x 600 dpi, HQ1200 (2400 x 600 dpi) quality		
First Print Out Time (From ready mode)		<8.5 secs	
Warm-up time (From sleep mode)		<7 secs	
Copy Function			
Copy Speed	_	Up to 3	30cpm
Copy Resolution	_	600 x 600 dpi	
First copy out time	_	<11	secs
Multi-Copy	_	Yes (Up to 99)	
2-Sided Copy	_	_	
N-in-1 Copying	_	Allows the user to compress 2 or 4 pages onto a single A4 sheet	
Scan Function			
			o to 600 x 2,400 dpi
Scan Resolution	_	ADF: Up to 600 x 600 dpi	
		Enhanced: Up to	19,200 x 19,200 dpi
2-Sided Scan	_	_	
Scan Functions	_	Enables users to scan documents to PC E-mail (Outlook only)^^, Image, OCR , File and Sharepoint (PC only)	
Fax Function			
Modem Speed	-	_	33.6Kbps
Internet Fax***	-	_	_
Speed & Group Dial		_	Up to 200 speed locations and up to 20 groups
Out-of-paper reception		_	Up to 400 pages**
Media Specifications			(ITU-T Test Chart, Standard Resolution, JBIG)
Media opecifications	Chandard again turn. Disir again	Standard paper tray Plain par	oor Thin Baner Beaugled Baner
Media Types	Standard paper tray - Plain paper, Thin Paper, Recycled Paper	Standard paper tray - Plain paper, Thin Paper, Recycled Paper  ADF (Automatic Document Feeder) - Plain Paper, Recycled Paper	
Media Capacity	250-sheet standard paper tray	250-sheet standard paper tray 1-sheet manual feed slot	
	1-sheet manual feed slot		
		35-sheet ADF (Autom	atic Document Feeder)
	Standard tray - A4, Letter, A5, A5 (Long Edge),		
Media Sizes	A5 (Long Edge), A6,	A6, Executive, Legal, Folio ADF - Width 147.3 to 215.9 mm, Length 147.3 to 355.6 mm	
	Executive, Legal, Folio	ADF - Width 147.3 to 215.9 h	
Paper Output			iiii, Leilgiii 147.3 to 355.0 iiiiii
		100-sheet	IIII, Lengtii 147.3 to 355.6 mm
Support Operating System			iii, Lengii 147.3 to 333.6 miii
Support Operating System Windows®	Server 20 Vista, Se		, 8.1, 10, Server 2003 (Network only), rork only), rk only),
	Server 20 Vista, Se	100-sheet  100-sheet  ssional Edition, XP professional x64 Edition, 7, 8  03 x64 Edition (Network only), Server 2012 (Network only), Server 2008 R2 (Networ	, 8.1, 10, Server 2003 (Network only), ork only), rk only), 019 (Network only)
Windows®	Server 20 Vista, Se	100-sheet  assional Edition, XP professional x64 Edition, 7, 8 103 x64 Edition (Network only), Server 2012 (Network 2008 (Network only), Server 2008 R2 (Network only), Server 2016 (Network only), Server 2  Mac OS X v10.13, 10.14, 10.	, 8.1, 10, Server 2003 (Network only), ork only), rk only), 019 (Network only) 10.15, 11 (Download only)
Windows®  Macintosh	Server 20 Vista, Se	100-sheet  assional Edition, XP professional x64 Edition, 7, 8 103 x64 Edition (Network only), Server 2012 (Network 2008 (Network only), Server 2008 R2 (Network only), Server 2016 (Network only), Server 2  Mac OS X v10.13, 10.14, 10.	, 8.1, 10, Server 2003 (Network only), ork only), rk only), 019 (Network only)
Windows®  Macintosh  Linux***	Server 20 Vista, Se Server 2012 R2 (Ne —	100-sheet  assional Edition, XP professional x64 Edition, 7, 8 103 x64 Edition (Network only), Server 2012 (Network 2008 (Network only), Server 2008 R2 (Network only), Server 2016 (Network only), Server 2  Mac OS X v10.13, 10.14, 10.	, 8.1, 10, Server 2003 (Network only), ork only), rk only), 019 (Network only) 10.15, 11 (Download only)
Windows®  Macintosh  Linux***  Network Utilities & Solutions	Server 20 Vista, Se Server 2012 R2 (Ne —	100-sheet  ssional Edition, XP professional x64 Edition, 7, 8 03 x64 Edition (Network only), Server 2012 (Network 2008 (Network only), Server 2008 R2 (Network only), Server 2016 (Network only), Server 2018 (Network only), Serv	, 8.1, 10, Server 2003 (Network only), ork only), rk only), 019 (Network only) 10.15, 11 (Download only)
Windows®  Macintosh  Linux***  Network Utilities & Solutions  BRAdmin Professional/ Light Web Based Management IP filter	Server 20 Vista, Se Server 2012 R2 (Ne — —	100-sheet  sssional Edition, XP professional x64 Edition, 7, 8 103 x64 Edition (Network only), Server 2012 (Network 2008 (Network only), Server 2008 R2 (Network only), Server 2016 (Network only), Server 2  Mac OS X v10.13, 10.14,  CUPS, LPD/LPRng (sor LAN/WAN management of your printer fleet	, 8.1, 10, Server 2003 (Network only), ork only), rk only), 019 (Network only) 10.15, 11 (Download only)
Windows®  Macintosh  Linux***  Network Utilities & Solutions  BRAdmin Professional/ Light  Web Based Management  IP filter  Dimensions (WxDxH)	Server 20 Vista, Se Server 2012 R2 (Ne — — — — — —	100-sheet  sssional Edition, XP professional x64 Edition, 7, 8 103 x64 Edition (Network only), Server 2012 (Network only), Server 2008 R2 (Network only), Server 2008 R2 (Network only), Server 2016 (Network only), Server 2  Mac OS X v10.13, 10.14,  CUPS, LPD/LPRng (sor LAN/WAN management of your printer fleet Web browser print server management	, 8.1, 10, Server 2003 (Network only), ork only), rk only), 019 (Network only) 10.15, 11 (Download only)
Windows®  Macintosh  Linux***  Network Utilities & Solutions  BRAdmin Professional/ Light  Web Based Management  IP filter  Dimensions (WxDxH)  With Carton	Server 20 Vista, Se Server 2012 R2 (Ne — — — — F  441 x 286 x 504mm / 7.9kg	100-sheet  sssional Edition, XP professional x64 Edition, 7, 8 103 x64 Edition (Network only), Server 2012 (Network only), Server 2008 R2 (Network only), Server 2008 R2 (Network only), Server 2016 (Network only), Server 2  Mac OS X v10.13, 10.14, CUPS, LPD/LPRng (Server 2016)  CUPS, LPD/LPRng (Server 2016)  Or LAN/WAN management of your printer fleet Web browser print server management  P address based access restriction (Ipv4 only)	, 8.1, 10, Server 2003 (Network only), ork only), rk only), rk only), 019 (Network only) 10.15, 11 (Download only) 486/x64 environment)
Windows®  Macintosh  Linux***  Network Utilities & Solutions  BRAdmin Professional/ Light  Web Based Management  IP filter  Dimensions (WxDxH)  With Carton  Without Carton	Server 20 Vista, Se Server 2012 R2 (Ne — — — — — —	100-sheet  ssional Edition, XP professional x64 Edition, 7, 8 103 x64 Edition (Network only), Server 2012 (Network or 2008 (Network only), Server 2008 R2 (Network only), Server 2016 (Network only), Server 2  Mac OS X v10.13, 10.14,  CUPS, LPD/LPRng (sor LAN/WAN management of your printer fleet Web browser print server management  P address based access restriction (Ipv4 only)	, 8.1, 10, Server 2003 (Network only), ork only), rk only), rk only), 019 (Network only) 10.15, 11 (Download only) 486/x64 environment)
Windows®  Macintosh  Linux***  Network Utilities & Solutions  BRAdmin Professional/ Light  Web Based Management  IP filter  Dimensions (WxDxH)  With Carton  Without Carton  Supplies	Server 20 Vista, Se Server 2012 R2 (Ne — — — — F  441 x 286 x 504mm / 7.9kg	100-sheet  sssional Edition, XP professional x64 Edition, 7, 8 03 x64 Edition (Network only), Server 2012 (Network only), Server 2008 R2 (Network only), Server 2008 R2 (Network only), Server 2016 (Network only), Server 2018 (N	, 8.1, 10, Server 2003 (Network only), ork only), rk only), rk only), 019 (Network only) 10.15, 11 (Download only) 486/x64 environment)
Windows®  Macintosh  Linux***  Network Utilities & Solutions  BRAdmin Professional/ Light  Web Based Management  IP filter  Dimensions (WxDxH)  With Carton  Without Carton  Supplies  Inbox Toners	Server 20 Vista, Se Server 2012 R2 (Ne — — — — F  441 x 286 x 504mm / 7.9kg	100-sheet  sssional Edition, XP professional x64 Edition, 7, 8 03 x64 Edition (Network only), Server 2012 (Network only), Server 2008 R2 (Network only), Server 2008 R2 (Network only), Server 2016 (Network only), Server 2  Mac OS X v10.13, 10.14,  CUPS, LPD/LPRng (x)  or LAN/WAN management of your printer fleet Web browser print server management P address based access restriction (Ipv4 only)  567 x 517 x 43 409 x 398 x 316 2,600 pages*	, 8.1, 10, Server 2003 (Network only), ork only), rk only), rk only), 019 (Network only) 10.15, 11 (Download only) 486/x64 environment)
Windows®  Macintosh  Linux****  Network Utilities & Solutions  BRAdmin Professional/ Light  Web Based Management  IP filter  Dimensions (WxDxH)  With Carton  Without Carton  Supplies  Inbox Toners  High Yield Toner	Server 20 Vista, Se Server 2012 R2 (Ne — — — — F  441 x 286 x 504mm / 7.9kg	100-sheet  sessional Edition, XP professional x64 Edition, 7, 8 103 x64 Edition (Network only), Server 2012 (Network only), Server 2008 R2 (Network only), Server 2008 R2 (Network only), Server 2016 (Network only), Server 2  Mac OS X v10.13, 10.14,  CUPS, LPD/LPRng (server 2016 (Network only))  or LAN/WAN management of your printer fleet Web browser print server management  P address based access restriction (Ipv4 only)  567 x 517 x 43 409 x 398 x 316  2,600 pages*  TN-2355: 2,600 pages*	, 8.1, 10, Server 2003 (Network only), ork only), rk only), rk only), 019 (Network only) 10.15, 11 (Download only) 486/x64 environment)
Windows®  Macintosh  Linux****  Network Utilities & Solutions  BRAdmin Professional/ Light  Web Based Management  IP filter  Dimensions (WxDxH)  With Carton  Without Carton  Supplies  Inbox Toners  High Yield Toner  Drum	Server 20 Vista, Se Server 2012 R2 (Ne — — — — F  441 x 286 x 504mm / 7.9kg	100-sheet  sssional Edition, XP professional x64 Edition, 7, 8 03 x64 Edition (Network only), Server 2012 (Network only), Server 2008 R2 (Network only), Server 2008 R2 (Network only), Server 2016 (Network only), Server 2  Mac OS X v10.13, 10.14,  CUPS, LPD/LPRng (x)  or LAN/WAN management of your printer fleet Web browser print server management P address based access restriction (Ipv4 only)  567 x 517 x 43 409 x 398 x 316 2,600 pages*	, 8.1, 10, Server 2003 (Network only), ork only), rk only), rk only), 019 (Network only) 10.15, 11 (Download only) 486/x64 environment)
Windows®  Macintosh Linux**** Network Utilities & Solutions BRAdmin Professional/ Light Web Based Management IP filter Dimensions (WxDxH) With Carton Without Carton Supplies Inbox Toners High Yield Toner	Server 20 Vista, Se Server 2012 R2 (Ne — — — — — — — — — — — — — — — — — — —	100-sheet  sessional Edition, XP professional x64 Edition, 7, 8 103 x64 Edition (Network only), Server 2012 (Network orly), Server 2008 R2 (Network only), Server 2008 R2 (Network only), Server 2016 (Network only), Server 2  Mac OS X v10.13, 10.14,  CUPS, LPD/LPRng (server 2016)  Or LAN/WAN management of your printer fleet  Web browser print server management  P address based access restriction (Ipv4 only)  567 x 517 x 45  409 x 398 x 316  2,600 pages*  TN-2355: 2,600 pages*  Drum (DR-2305) Up to 12,000 A4 pages^	, 8.1, 10, Server 2003 (Network only), rork only), rk only), prk only), 019 (Network only) 10.15, 11 (Download only) x86/x64 environment)
Windows®  Macintosh  Linux***  Network Utilities & Solutions  BRAdmin Professional/ Light  Web Based Management  IP filter  Dimensions (WxDxH)  With Carton  Without Carton  Supplies  Inbox Toners  High Yield Toner  Drum  Environment  Power Consumption	Server 20 Vista, Se Server 2012 R2 (Ne Server 2012	100-sheet  sessional Edition, XP professional x64 Edition, 7, 8 103 x64 Edition (Network only), Server 2012 (Network orly), Server 2008 R2 (Network only), Server 2008 R2 (Network only), Server 2016 (Network only), Server 2  Mac OS X v10.13, 10.14,  CUPS, LPD/LPRng (server 2016)  Or LAN/WAN management of your printer fleet Web browser print server management  P address based access restriction (Ipv4 only)  567 x 517 x 45  409 x 398 x 316  2,600 pages*  TN-2355: 2,600 pages*  Drum (DR-2305) Up to 12,000 A4 pages^  Ready: 60W, Printing: Deep Sle	, 8.1, 10, Server 2003 (Network only), rork only), rk only), prk only), 019 (Network only) 10.15, 11 (Download only) x86/x64 environment)
Windows®  Macintosh  Linux****  Network Utilities & Solutions  BRAdmin Professional/ Light  Web Based Management  IP filter  Dimensions (WxDxH)  With Carton  Without Carton  Supplies  Inbox Toners  High Yield Toner  Drum  Environment	Server 20 Vista, Se Server 2012 R2 (Ne — — — — — — — — — — — — — — — — — — —	100-sheet  sessional Edition, XP professional x64 Edition, 7, 8 103 x64 Edition (Network only), Server 2012 (Network orly), Server 2008 R2 (Network only), Server 2008 R2 (Network only), Server 2016 (Network only), Server 2  Mac OS X v10.13, 10.14,  CUPS, LPD/LPRng (server 2016)  Or LAN/WAN management of your printer fleet  Web browser print server management  P address based access restriction (Ipv4 only)  567 x 517 x 45  409 x 398 x 316  2,600 pages*  TN-2355: 2,600 pages*  Drum (DR-2305) Up to 12,000 A4 pages^	, 8.1, 10, Server 2003 (Network only), rork only), rk only), prk only), 019 (Network only) 10.15, 11 (Download only) x86/x64 environment)

<sup>\*</sup> Declared yield value in accordance with ISO/IEC 19752 \*\* (ITU-T Test Chart, Standard Resolution, MMR ^ Drum yield may vary by type of use ^^Scan direct to PC E-mail only (web mails/servers not supported)



#### **Brother International South Africa**

96 Sovereign Drive, Route 21 Corporate Park, Irene Tel 0861 brother Email info@brother.co.za www.brother.co.za https://support.brother.com/













